



## CIP-CLEAN A

Alkaline Tank Cleaner

Item no. 2410




### CIP-CLEAN A

- is the non-foaming and non-chlorinated CIP cleaner
- applicable for tanks, facilities, lines and separators
- is ideally suited for use in container and box washing machines

### CIP-CLEAN A

- removes completely protein remains, tanning and tartar deposits
- also removes fats, oils and other organic product residues
- suited for surfaces made of stainless steel, ceramic and plastic



### Areas of application and recommended dilution:

**1:33 – 1:200**

Dilute CIP-CLEAN A depending on the cleaning procedure:

1. Soaking: 0.5 – 1%, let it act for 2 – 3 days
2. Pumping- / CIP-procedure: 1 – 3%, let it circulate for 30 – 60 minutes via spray-head in high-pressure or low-pressure systems
3. Manual cleaning: 0.5% solution for the inner and outside cleaning of tanks and facilities
4. For container and box washing plants, use 2 - 10 g/l (0.2 - 1% solution) dependent on the degree of soiling.

Warm water increases the cleaning power.

Rinse thoroughly with plenty of fresh water after the cleaning procedure.

Not suited for aluminium, zinc, tin or non-ferrous metals!

### Chemical Characterization:

#### Appearance:

Colourless liquid with a mild odour.

#### Ingredients:

Preparation from alkalis, phosphonates and dispersing agents in water. Free of AOX and aldehydes.

#### pH value:

✓ 14: strongly alkaline



Concentration (in demin. water)	Conductivity (mS/cm)
0.5%	9.5
1.0%	18.2
1.5%	27.1
2.0%	36.1
2.5%	44.8
3.0%	53.1