according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023



Date of print: 03.07.2023

Page: 1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification / trade name:	Art. 2100, G 20 P
REACH registration number:	not notifiable
UFI:	KFXK-W134-360J-UJNN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture: Dishwashing powder

1.3 Details of the supplier of the safety data sheet

Supplier / Manufacturer:	HWR-CHEMIE GmbH Moosfeldstrasse 7 D-82275 Emmering
Telephone:	0049-8141-51030
Telefax:	0049-8141-510355
E-mail:	info@hwr-chemie.de
E-mail (competent person): Information contact: 1.4 Emergency phone	infoSDB@hwr-chemie.de Laboratory
Emergency phone Germany:	0049-8141-51030 (only during office hours)
Emergency phone Austria:	0043 1 406 43 43 (poison information centre)

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met.Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; STOT SE 3, H335

2.2 Label elements

Regulation (EC) No 1272/2008

Hazard pictograms



Signal word: Danger.

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023



Date of print: 03.07.2023

Page: 2

Hazard components for labeling

Sodium metasilicate

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER / doctor if you feel unwell.

P501 Dispose of contents/container at hazardous or special waste collection point.

2.3 Other hazards

The substances in this mixture do not meet the PBT/vPvB criteria of REACH, annex XIII. The substances in this mixture do not have any endocrine disrupting properties.

SECTION 3. Composition / information on ingredients

3.1 Substances

This product is a mixture.

3.2 Mixtures

Chemical characterization

Mixture of surfactants, builders, bleaching agents and auxiliaries.

Hazardous ingredients

- > 30 % Sodium metasilicate-5-hydrate, EG 229-912-9, CAS 10213-79-3, Skin Corr. 1B, H314; Met. Corr. 1, H290; STOT SE 3, H335
- 15 30 % Sodium carbonate, EG 207-838-8, CAS 497-19-8, Eye Irrit. 2, H319
- 0,5 2 % Alcoholethoxylate, C12-15, CAS 120313-48-6, Eye Dam. 1, H318; Skin Irrit .2, H315; Aquatic Acute 1, H400; Aquatic Chronic 3, H412
- 0,5 2 % Sodium dichlorisocyanurate dihydrate, EG 220-767-7, CAS 51580-86-0, Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Acute 1, H400; Aquatic Chronic 2, H410

Additional information

Full text of hazard classes and H-phrases: see section 16

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023

Date of print: 03.07.2023

Page: 3

SECTION 4. First aid measures

4.1 Description of first aid measures

General informations:	In case of persistent symptoms seek medical advice. Remove contaminated clothing. In case of unconsciousness place patient into stable side position for transportation. Never give fluids or induce vomiting if patient is unconscious or is having convulsions.
In case of inhalation:	Provide affected person with fresh air and seek medical advice depending on the symptoms.
In case of skin contact:	Contaminated, soaked clothing should be immediately removed. Wash skin thoroughly with soap and water.
In case of eye contact:	Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
In case of ingestion:	Rinse mouth immediately and then drink plenty of water. Do not induce vomiting. Seek medical advice at once.

4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes may cause reddening, running eyes and smarting pain. Ingestion may result in nausea and stomach pain. Possible burn of the upper part of gastrointestinal tract.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital functions), no known specific antidote.

SECTION 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media:Water spray jet / foam / CO2 / dry extinguishing powderUnsuitable extinguishing media:Extinguishing powder with ammonium salts, full water jet.

5.2 Special hazards arising from the substance or mixture

Spilled material reacts with certain metals (e.g. lead, aluminium, zinc and magnesium) to form hydrogen gas. In case of fire may be liberated: corrosive vapors.

5.3 Advice for fire-fighters

The product itself is not flammable. Co-ordinate fire-fighting measures to the fire surroundings. Special protective equipment: Wear full protective suit with self-contained breathing apparatus.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Avoid inhalation of dusts. Wear protective equipment.

6.2 Environmental precautions

Large quantities of spills should be contained by. Do not allow to enter undiluted into surface water or drains.

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

03.07.2023 Revision date:

Respiratory protection: No personal respiratory protective equipment normally required. Hand protection: Tested gloves with breakthrough time \geq 8 hours made from NR 0.5 mm, CR 0.5 mm, NBR 0.35 mm, Butyl 0.5 mm, FKM 0.4 mm, PVC 0.5 mm Eye protection: use safety goggles Protective clothing: usual work clothes

Date of print: 03.07.2023

Page: 4

6.3 Methods and material for containment and cleaning up

Take up dry. Forward for disposal. Clean up affected area.

6.4 Reference to other sections

Observe protective measures in sections 8 and disposal considerations in section 13.

SECTION 7. Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Wear protective clothing. Open carefully and keep container closed when not in use. General hygiene measures:

- Eating, drinking or smoking is prohibited in areas, where work is performed.

- Wash your hands after use.

- Take off contaminated clothing and protective equipment before entering eating areas.

Precautions against fire and explosion

Product does not burn itself.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in the original container or a corrosion-resistant container. Store locked up. Storage compatibility and limitations according to TRGS 510 must be observed.

7.3 Specific end uses

Observe product information sheet. eCl@ss (8.0): 30-02-13-02

SECTION 8. Exposure controls / Personal protection

8.1 Control parameters

Does not contain substances fixing an occupational exposure limit.

8.2 Exposure controls / Personal protection equipment

Appropriate engineering controls

See section 7. No additional measures necessary.

Personal protection equipment



according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023



Date of print: 03.07.2023

Page: 5

General health and safety measures

Respect good personal hygiene. Do not drink, eat or smoke while handling.

Environmental exposure controls

See section 6 and 7.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

solid
white
characteristic
approx. 12.5
not applicable
not determined
1000 - 1100
soluble in water
not applicable
not determined
not determined
not applicable
not determined

9.2 Other information

Other safety characteristics

No other physical and chemical data has been recorded.

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023



Date of print: 03.07.2023

Page: 6

SECTION 10. Stability and Reactivity

10.1 Reactivity

No particular reactivity expected.

10.2 Chemical stability

Stable under the specified storage conditions.

10.3 Possibility of hazardous reactions

There are expected no hazardous reactions for intended use.

10.4 Conditions to avoid

No hazardous conditions known. Note the information about handling and storage in section 7.

10.5 Incompatible materials

Avoid contact with acids and acidic products.

10.6 Hazardous decomposition products

The reaction with acid produces chlorine.

SECTION 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

The mixture does not meet the criteria for classification.

Skin Corrosion / Irritation

Mixture is classified as corrosive to the skin.

Serious Eye Damage / Irritation

Mixture causes serious eye damage.

Sensitisation

Mixture does not contain any sensitising substances.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Mixture does not contain any substances which are classified as carcinogenic, mutagenic or toxic for reproduction.

Specific target organ toxicity (single exposure)

May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Mixture does not contain any substances with specific target organ toxicity (repeated exposure).

Aspiration hazard

Not classified. Mixture does not contain any hydrocarbons.

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023



Date of print: 03.07.2023

Page: 7

11.2 Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

Other information

No further data available.

SECTION 12. Ecological information

The available data refer to the substances in the mixture. The mixture as a whole has not been tested.

12.1 Toxicity

Alcoholethoxylate, C12-15 EC50 (48 h) = 1 mg/L (Daphnia magna) LC50 (72 h) = 0.1-1 mg/L (Algae) LC50 (96 h) = 1-10 mg/L (Leuciscus idus)

Sodium dichlorisocyanurate dihydrate EC50 (48 h) = 0.28 mg/L (Daphnia magna) LC50 (96 h) = 0.355 mg/L (Fisch)

12.2 Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No further data available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances which are identified as PBT or vPvB.

12.6 Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

12.7 Other adverse effects

The mixture does not contain any substances which are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023



Date of print: 03.07.2023

Page: 8

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Recommendation

Cleaning concentrates should not be disposed of via wastewater. Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations.

Waste codes/waste designations according to EWC

20 01 29 (detergents containing hazardous substances)

Packaging

Contaminated package

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations. Waste code 15 01 10 (packaging containing residues of or contaminated by hazardous substances)

Cleaned package

Non contaminated and clean packagings can be used for recycling.

SECTION 14. Transport information

14.1 UN number or ID number 3253

14.2 UN Proper shipping name:

ADR / RID: Disodium trioxosilicate

IMDG-Code / ICAO-TI / IATA-DGR:

Disodium trioxosilicate

14.3 Transport hazard class(es)

ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR:

8

14.4 Packing group

III

14.5 Environmental hazards Not classified.

14.6 Special precautions for user

See section 6 and 8.

14.7 Maritime transport in bulk according to IMO instruments not applicable

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023



Date of print: 03.07.2023

Page: 9

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Subject to the Regulation (EC) No. 648/2004 on detergents.

National regulations

Maternity Protection Act (MuSchG): not applicable. Major Accidents Ordinance (12. BImSchV): not applicable. Observe employment restrictions for young people (§ 22 JArbSchG). Water hazard class: WGK 2 (in accordance with German regulation AwSV)

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16. Other information

Indication of changes

Revised sections: 15

Hazard statements referred to in Section 2 and 3 i.a.w. Regulation (EC) No 1272/2008

Met. Corr. 1, H290 = Corrosive to metals, category 1, May be corrosive to metals.
Acute Tox. 4, H302 = Acute toxicity, category 4, Harmful if swallowed.
Skin Corr. 1A/B/C, H314 = Skin corrosion / irritation, category 1A/B/C, Causes severe skin burns and eye damage.
Skin Irrit. 2, H315 = Skin corrosion / irritation, category 2, Causes skin irritation.
Eye Dam. 1, H318 = Eye damage / irritation, category 2, Causes serious eye damage.
Eye Irrit. 2, H319 = Eye damage / irritation, category 2, Causes serious eye irritation.
STOT SE 3, H335 = Specific target organ toxicity (single exposure), category 3, May cause respiratory irritation.
Aquatic Acute 1, H400 = Hazardous to the aquatic environment, acute, category 1, Very toxic to aquatic life.
Aquatic Chronic 1, H410 = Hazardous to the aquatic environment, chronic, category 1, Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 3, H412 = Hazardous to the aquatic environment, chronic, category 3, Harmful to aquatic life with long lasting effects.

Key literature references and sources for data

REACH Regulation (EC) No. 1907/2006 CLP Regulation (EC) No. 1272/2008

All data were taken from the safety data sheets of our sub-suppliers, where available. Missing data were taken from the Substance Database GESTIS of the Institute for Occupational Safety and Health of the German statutory accident insurance or from the database of the European Chemicals Agency (ECHA).

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2100, G 20 P

Version: 10

Revision date: 03.07.2023



Date of print: 03.07.2023

Page: 10

Legend

Legena	
ABEK	Filter designation
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE mix	Acute Toxicity Estimates for mixtures
AVV	European waste list regulation
AwSV	Ordinance on systems for handling water-polluting substances
Butyl	Butyl rubber
CAS	(Registration number) Chemical Abstracts Service
CLP	Regulation on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenicity, mutagenicity, reproductive toxicity
CR	Chloroprene rubber
EC50	Median effective concentration
EG	(Registration number) European Union
	Median effective concentration
	Federal Insecticide, Fungicide and Rodenticide Act
FKM	Fluorocarbon rubber
	E Labelling system of the professional associations in the construction industry
	GR International Air Transport Association - Dangerous Goods Regulations
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
	Technical Instructions For The Safe Transport of Dangerous Goods by Air
IMDG	International Maritime Dangerous Goods
LC50	Lethal concentration of a substance leading to the death of 50% of the exposed organisms
LD50	Lethal dose of a substance that leads to death of 50% of the organisms exposed to it
	L International Convention for the Prevention of Pollution from Ships
NBR	Acrylonitrile butadiene rubber
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
NR	Natural rubber
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, bioaccumulating, toxic
PET	Polyethylene terephthalate
PTFE	Polytetrafluoroethylene
PVC	Polyvinyl chloride
	Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Convention concerning International Carriage by Rail
TRGS	Technical Rules for Hazardous Substances
UN	United Nations
	United States Environmental Protection Agency
VOC	
vOC vPvB	Volatile Organic Compounds
VPVB	Very persistent, very bioaccumulating

WGK Water hazard class

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.