according to Regulation (EC) No 1907/2006 (REACH)

HAVR

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification / trade name: Art. 2670, ANTISTATIKUM

REACH registration number: not notifiable

UFI: GHJH-KPD0-E70Y-55NU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture:

Antistatic agent

1.3 Details of the supplier of the safety data sheet

Supplier / Manufacturer: HWR-CHEMIE GmbH

Moosfeldstrasse 7 D-82275 Emmering

 Telephone:
 0049-8141-51030

 Telefax:
 0049-8141-510355

 E-mail:
 info@hwr-chemie.de

E-mail (competent person): infoSDB@hwr-chemie.de

Information contact: Laboratory

1.4 Emergency phone

Emergency phone Germany: 0049-8141-51030 (only during office hours) **Emergency phone Austria:** 0043 1 406 43 43 (poison information centre)

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2, H319; Aquatic Chronic 3, H412

2.2 Label elements

Regulation (EC) No 1272/2008

Hazard pictograms



Signal word: Warning.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 2

Hazard statements

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container at hazardous or special waste collection point.

2.3 Other hazards

The substances in this mixture do not meet the PBT/vPvB criteria of REACH, annex XIII.

The substances in this mixture do not have any endocrine disrupting properties.

SECTION 3. Composition / information on ingredients

3.1 Substances

This product is a mixture.

3.2 Mixtures

Chemical characterization

Mixture of surfactants and alcohol in water.

Hazardous ingredients

10 - 15 % Ethanol, EG 200-578-6, CAS 64-17-5, Flam. Liq. 2, H225; specific concentration limits: >= 50 % Eye Irrit. 2, H319

< 1 % Alkyldimethylbenzylammoniumchloride, EG 270-325-2, CAS 68424-85-1, Acute Tox. 4, H302; Skin corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410

Additional information

Full text of hazard classes and H-phrases: see section 16

SECTION 4. First aid measures

4.1 Description of first aid measures

General informations: In case of persistent symptoms seek medical advice. Remove contaminated

clothing. In case of unconsciousness place patient into stable side position for transportation. Never give fluids or induce vomiting if patient is unconscious

or is having convulsions.

In case of inhalation: Provide affected person with fresh air and seek medical advice depending on the

symptoms.

In case of skin contact: Contaminated, soaked clothing should be immediately removed. Wash skin

thoroughly with soap and water.

In case of eye contact: Immediately wash affected eyes for at least 15 minutes under running water with

eyelids held open, consult an eye specialist.

In case of ingestion: Rinse mouth immediately and then drink plenty of water. Do not induce vomiting.

Seek medical advice at once. In case of spontaneous vomiting hold the head of the casualty low with the body in a prone position in order to avoid aspiration.

Continued on next page

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 3

4.2 Most important symptoms and effects, both acute and delayed

Dizziness, headache. Contact with eyes may cause reddening, running eyes and smarting pain. Ingestion may result in nausea and stomach pain. Skin contact may cause irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital functions), no known specific antidote.

SECTION 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet / alcohol resistant foam / CO2 / dry extinguishing powder

Unsuitable extinguishing media: Full water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated: Carbon oxides

5.3 Advice for fire-fighters

Cool closed containers exposed to fire with water spray jet.

Special protective equipment: Wear full protective suit with self-contained breathing apparatus.

Collect contaminated fire extinguishing water separately. Do not allow entering drains, surface water or soil.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. Wear protection equipment.

6.2 Environmental precautions

Large quantities of spills should be contained by. Do not allow to enter undiluted into surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with an absorbent material and dispose of according to local regulations.

6.4 Reference to other sections

Observe protective measures in sections 8 and disposal considerations in section 13.

SECTION 7. Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Wear protective clothing. Open carefully and keep container closed when not in use.

Avoid release into the environment.

General hygiene measures:

- Eating, drinking or smoking is prohibited in areas, where work is performed.
- Wash your hands after use.
- Take off contaminated clothing and protective equipment before entering eating areas.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 4

Precautions against fire and explosion

Product does not burn itself.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in tightly closed original container in a dry and cool place. Storage compatibility and limitations according to TRGS 510 must be observed.

7.3 Specific end uses

Observe product information sheet. eCl@ss (8.0): 30-23-03-01 / GISCODE: GU80

SECTION 8. Exposure controls / Personal protection

8.1 Control parameters

Workplace exposure limits according to TRGS 900

Substances: Ethanol

Occupational exposure limit: 200 ppm, 380 mg/m³

Top limiting and exceedance factor: 4 (II)

Notes: DFG, Y

8.2 Exposure controls / Personal protection equipment

Appropriate engineering controls

See section 7. No additional measures necessary.

Personal protection equipment

Respiratory protection: No personal respiratory protective equipment normally required.

Hand protection:recommendedEye protection:use safety gogglesProtective clothing:usual work clothes

General health and safety measures

Respect good personal hygiene. Do not drink, eat or smoke while handling.

Environmental exposure controls

See section 6 and 7.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 5

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information

Physical state: liquid

Colour: yellowish
Odour: alcoholic
pH value (undiluted): approx. 8
pH value (1 %): approx. 7

Melting point/Freezing point (°C): approx. -10
Boiling temperature (°C): approx. 100

Flashpoint (°C): > 61

Flammability (solid, gas):

Lower explosion limit:

Upper explosion limit:

vapour pressure (hPa):

Relative vapor density:

not determined

not determined

not determined

approx. 0.98

Solubility: completely mixable with water

Partition coefficient (KOW): not determined lgnition temperature: not determined not determined

Dynamic viscosity (mPas): < 10

Particle properties: not applicable

9.2 Other information

Other safety characteristics

No other physical and chemical data has been recorded.

SECTION 10. Stability and Reactivity

10.1 Reactivity

May form insoluble precipitates when mixing with cleaning agents containing anionic surfactants.

10.2 Chemical stability

Stable under the specified storage conditions.

10.3 Possibility of hazardous reactions

There are expected no hazardous reactions for intended use.

10.4 Conditions to avoid

No hazardous conditions known. Note the information about handling and storage in section 7.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 6

10.5 Incompatible materials

none suspected

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Alkylbenzyldimethylammoniumchloride LD50 oral = 795 mg/kg body weight (rat) (OECD 401) ATE dermal > 5000 mg/kg body weight (calculated)

Acute Toxicity Estimate of the mixture: ATE mix (oral) > 2000 mg/kg body weight ATE mix (dermal) > 2000 mg/kg body weight

Skin Corrosion / Irritation

The mixture does not meet the criteria for classification.

Serious Eye Damage / Irritation

Mixture is classified as irritating to the eyes.

Sensitisation

Mixture does not contain any sensitising substances.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Mixture does not contain any substances which are classified as carcinogenic, mutagenic or toxic for reproduction.

Specific target organ toxicity (single exposure)

Mixture does not contain any substances with specific target organ toxicity.

Specific target organ toxicity (repeated exposure)

Mixture does not contain any substances with specific target organ toxicity.

Aspiration hazard

Not classified. Mixture does not contain any hydrocarbons.

11.2 Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

Other information

No further data available.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 7

SECTION 12. Ecological information

The available data refer to the substances in the mixture. The mixture as a whole has not been tested.

12.1 Toxicity

Alkyldimethylbenzylammoniumchloride Acute toxicity fishes: LC50 (96 h) = 0.28 mg/L (Literature) Acute toxicity crustacea: EC50 (48 h) = 0.016 mg/L (Literature) Acute toxicity algae: ErC50 (96 h) = 0.049 mg/L (Literature)

12.2 Persistence and degradability

Ethanol

Readily biodegradable (97%, OECD 301B)

Alkyldimethylbenzylammoniumchloride Readily biodegradable (>60%, OECD 301D)

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential

Ethano

Not expected to bioaccumulate.

Alkyldimethylbenzylammoniumchloride Not expected to bioaccumulate.

12.4 Mobility in soil

Ethanol

Absorption to solid soil phase is not expected. Substance is highly volatile.

Alkyldimethylbenzylammoniumchloride No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances which are identified as PBT or vPvB.

12.6 Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

12.7 Other adverse effects

The mixture does not contain any substances which are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

according to Regulation (EC) No 1907/2006 (REACH)

HIME

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 8

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Recommendation

Cleaning concentrates should not be disposed of via wastewater. Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations.

Waste codes/waste designations according to EWC

20 01 29 (detergents containing hazardous substances)

Packaging

Contaminated package

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations. Waste code 15 01 10 (packaging containing residues of or contaminated by hazardous substances)

Cleaned package

Non contaminated and clean packagings can be used for recycling.

SECTION 14. Transport information

14.1 UN number or ID number

not applicable

14.2 UN Proper shipping name:

ADR / RID:

No dangerous good in sense of this transport regulation.

IMDG-Code / ICAO-TI / IATA-DGR:

No dangerous good in sense of this transport regulation.

14.3 Transport hazard class(es)

ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR:

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards

not applicable

14.6 Special precautions for user

See section 6 and 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

according to Regulation (EC) No 1907/2006 (REACH)

HIMR

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 9

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Subject to the Regulation (EC) No. 648/2004 on detergents.

National regulations

Maternity Protection Act (MuSchG): not applicable.

Major Accidents Ordinance (12. BlmSchV): not applicable.

Observe employment restrictions for young people (§ 22 JArbSchG).

Water hazard class: WGK 2 (in accordance with German regulation AwSV)

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16. Other information

Indication of changes

Revised sections: 1, 15

Hazard statements referred to in Section 2 and 3 i.a.w. Regulation (EC) No 1272/2008

Flam. Liq 2, H225 = Flammable liquids, category 2, Highly flammable liquid and vapour.

Met. Corr. 1, H290 = Corrosive to metals, category 1, May be corrosive to metals.

Acute Tox. 4, H302 = Acute toxicity, category 4, Harmful if swallowed.

Skin Corr. 1A/B/C, H314 = Skin corrosion / irritation, category 1A/B/C, Causes severe skin burns and eye damage.

Eye Irrit. 2, H319 = Eye damage / irritation, category 2, Causes serious eye irritation.

Aquatic Acute 1, H400 = Hazardous to the aquatic environment, acute, category 1, Very toxic to aquatic life.

Aquatic Chronic 1, H410 = Hazardous to the aquatic environment, chronic, category 1, Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 3, H412 = Hazardous to the aquatic environment, chronic, category 3, Harmful to aquatic life with long lasting effects.

Key literature references and sources for data

REACH Regulation (EC) No. 1907/2006 CLP Regulation (EC) No. 1272/2008

All data were taken from the safety data sheets of our sub-suppliers, where available. Missing data were taken from the Substance Database GESTIS of the Institute for Occupational Safety and Health of the German statutory accident insurance or from the database of the European Chemicals Agency (ECHA).

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 2670, ANTISTATIKUM

Version: 12 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 10

Legend

ABEK Filter designation

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE mix Acute Toxicity Estimates for mixtures

AVV European waste list regulation

AwSV Ordinance on systems for handling water-polluting substances

Butyl Butyl rubber

CAS (Registration number) Chemical Abstracts Service

CLP Regulation on classification, labelling and packaging of substances and mixtures

CMR Carcinogenicity, mutagenicity, reproductive toxicity

CR Chloroprene rubber

EC50 Median effective concentration

EG (Registration number) European Union

ErC50 Median effective concentration

FIFRA Federal Insecticide, Fungicide and Rodenticide Act

FKM Fluorocarbon rubber

GISCODE Labelling system of the professional associations in the construction industry

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

IBC International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air

IMDG International Maritime Dangerous Goods

LC50 Lethal concentration of a substance leading to the death of 50% of the exposed organisms

LD50 Lethal dose of a substance that leads to death of 50% of the organisms exposed to it

MARPOL International Convention for the Prevention of Pollution from Ships

NBR Acrylonitrile butadiene rubber

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

NR Natural rubber

OECD Organisation for Economic Co-operation and Development

PBT Persistent, bioaccumulating, toxic
PET Polyethylene terephthalate
PTFE Polytetrafluoroethylene

PVC Polyvinyl chloride

REACH Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Convention concerning International Carriage by Rail

TRGS Technical Rules for Hazardous Substances

UN United Nations

US-EPA United States Environmental Protection Agency

VOC Volatile Organic Compounds

vPvB Very persistent, very bioaccumulating

WGK Water hazard class

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.