SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)

Art. 2740, DES-REIN 90

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification / trade name: Art. 2740, DES-REIN 90
REACH registration number: not notifiable
UFI: QEES-MVTS-T709-0031

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture:
Disinfection cleaner

1.3 Details of the supplier of the safety data sheet

Supplier / Manufacturer: HWR-CHEMIE GmbH
Moosfeldstrasse 7
D-82275 Emmering

Telephone: 0049-8141-51030
Telefax: 0049-8141-510350
E-mail: info@hwr-chemie.de

E-mail (competent person): infoSDB@hwr-chemie.de
Information contact: Laboratory

1.4 Emergency phone

Emergency phone Germany: 0049-8141-51030 (only during office hours)
Emergency phone Austria: 0043 1 406 43 43 (poison information centre)

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008
Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 3, H412

2.2 Label elements

Regulation (EC) No 1272/2008

Hazard pictograms

Signal word: Danger.

Continued on next page

Hazard components for labeling

2-Aminoethanol, Didecyldimethylammoniumchlorid

Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container at hazardous or special waste collection point.

2.3 Other hazards

The substances contained in the mixture do not fulfill the PMT/vPvM criteria or the PBT/vPvB criteria according to REACH, Annex XIII. The substances in this mixture do not have any endocrine disrupting properties.

SECTION 3. Composition / information on ingredients

3.1 Substances

This product is a mixture.

3.2 Mixtures

Chemical characterization

Mixture of disinfectants, surfactants, complexing agents and auxiliaries in water.

Hazardous ingredients

< 10 % Didecyldimethylammoniumchloride, EG 230-525-2, CAS 7173-51-5, Acute Tox. 3, H301; Skin corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411
< 10 % 2-Amino-ethanol, EG 205-483-3, CAS 141-43-5, Acute Tox. 4, H302, H312, H332; Skin corr. 1B, H314; STOT SE 3, H335; Aquatic Chronic 3, H412
< 10 % Potassium carbonate, EG 209-529-3, CAS 584-08-7, Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335
< 5 % 2-Propanol, EG 200-661-7, CAS 67-63-0, Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

Additional information

Full text of hazard classes and H-phrases: see section 16

Continued on next page

SECTION 4. First aid measures

4.1 Description of first aid measures

General informations: In case of persistent symptoms seek medical advice. Remove contaminated clothing. In case of unconsciousness place patient into stable side position for transportation. Never give fluids or induce vomiting if patient is unconscious or is having convulsions.

In case of inhalation: Provide affected person with fresh air and seek medical advice depending on the symptoms.

In case of skin contact: Contaminated, soaked clothing should be immediately removed. Wash skin thoroughly with soap and water.

In case of eye contact: Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

In case of ingestion: Rinse mouth immediately and then drink plenty of water. Do not induce vomiting. Seek medical advice at once. In case of spontaneous vomiting hold the head of the casualty low with the body in a prone position in order to avoid aspiration.

4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes may cause reddening, running eyes and smarting pain. Ingestion may result in nausea and stomach pain. Possible burn of the upper part of gastrointestinal tract.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital functions), no known specific antidote.

SECTION 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet / foam / CO2 / dry extinguishing powder

Unsuitable extinguishing media: Full water jet.

5.2 Special hazards arising from the substance or mixture

None suspected.

5.3 Advice for fire-fighters

The product itself is not flammable. Co-ordinate fire-fighting measures to the fire surroundings.
Special protective equipment: Wear full protective suit with self-contained breathing apparatus.
Collect contaminated fire extinguishing water separately. Do not allow entering drains, surface water or soil.

Continued on next page

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear protective equipment.

6.2 Environmental precautions

Large quantities of spills should be contained by. Do not allow to enter undiluted into surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with an absorbent material and dispose of according to local regulations.

6.4 Reference to other sections

Observe protective measures in sections 8 and disposal considerations in section 13.

SECTION 7. Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Wear protective clothing. Open carefully and keep container closed when not in use.
Avoid release into the environment.
General hygiene measures:
- Eating, drinking or smoking is prohibited in areas, where work is performed.
- Wash your hands after use.
- Take off contaminated clothing and protective equipment before entering eating areas.

Precautions against fire and explosion

Product does not burn itself.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in the original container or a corrosion-resistant container. Store locked up.
Storage compatibility and limitations according to TRGS 510 must be observed.

7.3 Specific end uses

Observe product information sheet.
eCl@ss (8.0): 30-30-01-01 / GISCODE: GD40

Continued on next page

SECTION 8. Exposure controls / Personal protection

8.1 Control parameters

Workplace exposure limits according to TRGS 900

Substances: 2-Amino-ethanol
Occupational exposure limit: 0.2 ppm, 0.5 mg/m³
Top limiting and exceedance factor: 1 (I)
Notes: DFG, EU, H, Y, Sh, 11

Substances: Propane-2-ol
Occupational exposure limit: 200 ppm, 500 mg/m³
Top limiting and exceedance factor: 2 (II)
Notes: DFG, Y

Biological limits according to TRGS 903

Substances: Propane-2-ol
Parameters: Aceton
Biological limit value: 25 mg/l / 25 mg/l
Test material and sampling time: B b / U b

Community workplace exposure limits

Substances: 2-Amino-ethanol
EU limits (8h): 2.5 mg/m³, 1 ppm
EU limits (Short-term): 7.6 mg/m³, 3 ppm
Notes: Haut

8.2 Exposure controls / Personal protection equipment

Appropriate engineering controls

See section 7. No additional measures necessary.

Personal protection equipment

Respiratory protection:	No personal respiratory protective equipment normally required.
Hand protection:	Tested gloves with breakthrough time >= 8 hours made from NR 0.5 mm, CR 0.5 mm, NBR 0.35 mm, Butyl 0.5 mm, FKM 0.4 mm, PVC 0.5 mm
Eye protection:	use safety goggles
Protective clothing:	usual work clothes

General health and safety measures

Respect good personal hygiene. Do not drink, eat or smoke while handling.

Environmental exposure controls

See section 6 and 7.

Continued on next page

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information

Physical state:	liquid
Colour:	green
Odour:	fruity
pH value (undiluted):	approx. 12.9
pH value (1 %):	approx. 11.2
Melting point/Freezing point (°C):	approx. -5
Boiling temperature (°C):	approx. 100
Flashpoint (°C):	> 65
Flammability (solid, gas):	not applicable
Lower explosion limit:	not determined
Upper explosion limit:	not determined
Vapour pressure (hPa):	approx. 23
Relative vapor density:	not determined
Density (20 °C):	approx. 1.06
Solubility:	completely mixable with water
Partition coefficient (KOW):	not determined
Ignition temperature:	not determined
Decomposition temperature:	not determined
Dynamic viscosity (mPas):	approx. 30
Particle properties:	not applicable

9.2 Other information

Other safety characteristics

No other physical and chemical data has been recorded.

SECTION 10. Stability and Reactivity

10.1 Reactivity

Reacts with strong acids under heat development.
May form insoluble precipitates when mixing with cleaning agents containing anionic surfactants.

10.2 Chemical stability

Stable under the specified storage conditions.

10.3 Possibility of hazardous reactions

There are expected no hazardous reactions for intended use.

10.4 Conditions to avoid

No hazardous conditions known. Note the information about handling and storage in section 7.

Continued on next page

10.5 Incompatible materials

none suspected

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Didecyldimethylammoniumchloride
ATE oral = 238 mg/kg body weight
ATE dermal = 3342 mg/kg body weight

2-Amino-ethanol
ATE oral = 1515 mg/kg body weight
ATE dermal = 1000 mg/kg body weight
ATE inhalative, vapour = 1-5 mg/l

Acute Toxicity Estimate of the mixture:
ATE mix (oral) > 2000 mg/kg body weight
ATE mix (dermal) > 2000 mg/kg body weight
ATE mix (inhalative, vapour) > 20 mg/l

Skin Corrosion / Irritation

Mixture is classified as corrosive to the skin.

Serious Eye Damage / Irritation

Mixture causes serious eye damage.

Sensitisation

Mixture does not contain any sensitising substances.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Mixture does not contain any substances which are classified as carcinogenic, mutagenic or toxic for reproduction.

Specific target organ toxicity (single exposure)

Mixture is not classified as specific target organ toxic (single exposure).

Specific target organ toxicity (repeated exposure)

Mixture does not contain any substances with specific target organ toxicity (repeated exposure).

Aspiration hazard

Not classified. Mixture does not contain any hydrocarbons.

Continued on next page

11.2 Information on other hazards

Endocrine disrupting properties
This mixture does not contain any substances which are identified as endocrine disrupting.

Other information
No further data available.

SECTION 12. Ecological information

The available data refer to the substances in the mixture. The mixture as a whole has not been tested.

12.1 Toxicity

Didecyldimethylammoniumchloride
Acute toxicity fishes:
LC50 (96 h) = 0.19 mg/L (Pimephales promelas) (US-EPA)
Acute toxicity crustacea:
EC50 (48 h) = 0.062 mg/L (Daphnia Magna) (EPA-FIFRA)
Acute toxicity algae:
ErC50 (72 h) = 0.062 mg/L (Pseudokirchneriella subcapitata) (OECD 201)

2-Amino-ethanol
Acute toxicity fishes:
LC50 (96 h) = 150 mg/L (Oncorhynchus mykiss) (Literature)
Acute toxicity crustacea:
EC50 (48 h) = 65 mg/L (Daphnia magna) (Literature)
Acute toxicity algae:
EC50 (72 h) = 15 mg/L (Scenedesmus subspicatus) (Literature)

12.2 Persistence and degradability

Didecyldimethylammoniumchloride
Readily biodegradable (72%, OECD 301B)

2-Amino-ethanol
Readily biodegradable. (90-100%, OECD 301F)

Potassium carbonate
Hydrolysis in water. Methods for determining the biological degradability are not applicable to inorganic substances.

2-Propanol
Readily biodegradable (95%, OECD 301E)

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Continued on next page

12.3 Bioaccumulative potential

Didecyldimethylammoniumchloride
No further relevant information available.

2-Amino-ethanol
Not expected to bioaccumulate.

Potassium carbonate
Not expected to bioaccumulate.

2-Propanol
Not expected to bioaccumulate.

12.4 Mobility in soil

Didecyldimethylammoniumchloride
No further relevant information available.

2-Amino-ethanol
No further relevant information available.

Potassium carbonate
No further relevant information available.

2-Propanol
Absorption to solid soil phase is not expected. Substance is highly volatile.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances which are identified as PBT or vPvB.

12.6 Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

12.7 Other adverse effects

The mixture does not contain any substances which are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Recommendation

Cleaning concentrates should not be disposed of via wastewater. Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations.

Waste codes/waste designations according to EWC

20 01 29 (detergents containing hazardous substances)

Continued on next page

Packaging

Contaminated package
Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations. Waste code 15 01 10 (packaging containing residues of or contaminated by hazardous substances)

Cleaned package
Non contaminated and clean packagings can be used for recycling.

SECTION 14. Transport information

14.1 UN number or ID number
1903

14.2 UN Proper shipping name:

ADR / RID:
Disinfectant, liquid, corrosive, n.o.s. (2-Aminoethanol, Didecyldimethylammoniumchloride)

IMDG-Code / ICAO-TI / IATA-DGR:
Disinfectant, liquid, corrosive, n.o.s. (2-Aminoethanol, Didecyldimethylammoniumchloride)

14.3 Transport hazard class(es)

ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR:
8

14.4 Packing group
III

14.5 Enviromental hazards
environmentally hazardous

14.6 Special precautions for user
See section 6 and 8.

14.7 Maritime transport in bulk according to IMO instruments
not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations
Subject to the Regulation (EC) No. 648/2004 on detergents.
Subject to the Regulation (EC) No. 528/2012 concerning the making available on the market and use of biocidal products.
Subject to the Regulation (EC) No. 649/2012 concerning the export and import of hazardous chemicals.

Continued on next page

National regulations (Germany)

Maternity Protection Act (MuSchG): not applicable.
Major Accidents Ordinance (12. BImSchV): not applicable.
Observe employment restrictions for young people (§ 22 JArbSchG).
Water hazard class: WGK 2 (in accordance with German regulation AwSV)
VOC content according to EU directive 2010/75: 9.9 %

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16. Other information

Indication of changes

Revised sections: 2, 11, 15

Hazard statements referred to in Section 2 and 3 i.a.w. Regulation (EC) No 1272/2008

Flam. Liq 2, H225 = Flammable liquids, category 2, Highly flammable liquid and vapour.
Met. Corr. 1, H290 = Corrosive to metals, category 1, May be corrosive to metals.
Acute Tox. 3, H301 = Acute toxicity, category 3, Toxic if swallowed.
Acute Tox. 4, H302 = Acute toxicity, category 4, Harmful if swallowed.
Acute Tox. 4, H312 = Acute toxicity, category 4, Harmful in contact with skin.
Skin Corr. 1A/B/C, H314 = Skin corrosion / irritation, category 1A/B/C, Causes severe skin burns and eye damage.
Skin Irrit. 2, H315 = Skin corrosion / irritation, category 2, Causes skin irritation.
Eye Irrit. 2, H319 = Eye damage / irritation, category 2, Causes serious eye irritation.
Acute Tox. 4, H332 = Acute toxicity, category 4, Harmful if inhaled.
STOT SE 3, H335 = Specific target organ toxicity (single exposure), category 3, May cause respiratory irritation.
STOT SE 3, H336 = Specific target organ toxicity (single exposure), category 3, May cause drowsiness or dizziness.
Aquatic Acute 1, H400 = Hazardous to the aquatic environment, acute, category 1, Very toxic to aquatic life.
Aquatic Chronic 2, H411 = Hazardous to the aquatic environment, chronic, category 2, Toxic to aquatic life with long lasting effects.
Aquatic Chronic 3, H412 = Hazardous to the aquatic environment, chronic, category 3, Harmful to aquatic life with long lasting effects.

Key literature references and sources for data

REACH Regulation (EC) No. 1907/2006
CLP Regulation (EC) No. 1272/2008

All data were taken from the safety data sheets of our sub-suppliers, where available. Missing data were taken from the Substance Database GESTIS of the Institute for Occupational Safety and Health of the German statutory accident insurance or from the database of the European Chemicals Agency (ECHA).

Continued on next page

Legend

ABEK	Filter designation
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE mix	Acute Toxicity Estimates for mixtures
AVV	European waste list regulation
AwSV	Ordinance on systems for handling water-polluting substances
Butyl	Butyl rubber
CAS	(Registration number) Chemical Abstracts Service
CLP	Regulation on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenicity, mutagenicity, reproductive toxicity
CR	Chloroprene rubber
EC50	Median effective concentration
EG	(Registration number) European Union
ErC50	Median effective concentration
FIFRA	Federal Insecticide, Fungicide and Rodenticide Act
FKM	Fluorocarbon rubber
GISCODE	Labelling system of the professional associations in the construction industry
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	Technical Instructions For The Safe Transport of Dangerous Goods by Air
IMDG	International Maritime Dangerous Goods
LC50	Lethal concentration of a substance leading to the death of 50% of the exposed organisms
LD50	Lethal dose of a substance that leads to death of 50% of the organisms exposed to it
MARPOL	International Convention for the Prevention of Pollution from Ships
NBR	Acrylonitrile butadiene rubber
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
NR	Natural rubber
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, bioaccumulating, toxic
PET	Polyethylene terephthalate
PTFE	Polytetrafluoroethylene
PVC	Polyvinyl chloride
REACH	Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Convention concerning International Carriage by Rail
TRGS	Technical Rules for Hazardous Substances
UN	United Nations
US-EPA	United States Environmental Protection Agency
VOC	Volatile Organic Compounds
vPvB	Very persistent, very bioaccumulating
WGK	Water hazard class

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.