

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification / trade name: Art. 3010, BEAMAT PROFI 400
REACH registration number: not notifiable
UFI: A16W-WNW5-V807-5SMA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture:
Detergent

1.3 Details of the supplier of the safety data sheet

Supplier / Manufacturer: HWR-CHEMIE GmbH
Moosfeldstrasse 7
D-82275 Emmering

Telephone: 0049-8141-51030
Telefax: 0049-8141-510355
E-mail: info@hwr-chemie.de

E-mail (competent person): infoSDB@hwr-chemie.de
Information contact: Laboratory

1.4 Emergency phone

Emergency phone Germany: 0049-8141-51030 (only during office hours)
Emergency phone Austria: 0043 1 406 43 43 (poison information centre)

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008
Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335

2.2 Label elements

Regulation (EC) No 1272/2008

Hazard pictograms



Signal word: Danger.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 2

Hazard components for labeling

Silicic acid, sodium salt and Sodium percarbonate

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container at hazardous or special waste collection point.

2.3 Other hazards

The substances in this mixture do not meet the PBT/vPvB criteria of REACH, annex XIII.

The substances in this mixture do not have any endocrine disrupting properties.

SECTION 3. Composition / information on ingredients

3.1 Substances

This product is a mixture.

3.2 Mixtures

Chemical characterization

Mixture of surfactants, builders, bleaching agents, TAED, optical dye, enzymes and auxiliaries.

Hazardous ingredients

15 - 30 % Sodium carbonate, EG 207-838-8, CAS 497-19-8, Eye Irrit. 2, H319

15 - 30 % Silicic acid, sodium salt (2.6<MR<=3.2), EG 215-687-4, CAS 1344-09-8, Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335

15 - 30 % Sodium percarbonate, EG 239-707-6, CAS 15630-89-4, Ox. Sol. 2, H272; Acute Tox. 4, H302; Eye Dam. 1, H318

< 5 % Isotridecanol, ethoxylated (>5 - 20 EO), EG 931-138-8, CAS 69011-36-5, Acute Tox. 4, H302; Eye Dam. 1, H318

< 5 % Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. und Benzenesulfonic acid, 4-methyl- und sodium hydroxide, EG 932-051-8, Skin Irrit. 2, H315; Eye Dam. 1, H318

Additional information

Full text of hazard classes and H-phrases: see section 16

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 3

SECTION 4. First aid measures

4.1 Description of first aid measures

- General informations:** In case of persistent symptoms seek medical advice. Remove contaminated clothing. In case of unconsciousness place patient into stable side position for transportation. Never give fluids or induce vomiting if patient is unconscious or is having convulsions.
- In case of inhalation:** Provide affected person with fresh air and seek medical advice depending on the symptoms.
- In case of skin contact:** Contaminated, soaked clothing should be immediately removed. Wash skin thoroughly with soap and water.
- In case of eye contact:** Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- In case of ingestion:** Rinse mouth immediately and then drink plenty of water. Do not induce vomiting. Seek medical advice at once.

4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes may cause reddening, running eyes and smarting pain. Ingestion may result in nausea and stomach pain.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet / foam / CO₂ / dry extinguishing powder

Unsuitable extinguishing media: Full water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for fire-fighters

The product itself is not flammable. Co-ordinate fire-fighting measures to the fire surroundings.

Special protective equipment: Wear full protective suit with self-contained breathing apparatus.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear protective equipment.

6.2 Environmental precautions

Large quantities of spills should be contained by. Do not allow to enter undiluted into surface water or drains.

6.3 Methods and material for containment and cleaning up

Take up dry. Forward for disposal. Clean up affected area.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 4

6.4 Reference to other sections

Observe protective measures in sections 8 and disposal considerations in section 13.

SECTION 7. Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Wear protective clothing. Open carefully and keep container closed when not in use. Do not breathe dust.

Use only in well-ventilated areas or provide local extraction.

General hygiene measures:

- Eating, drinking or smoking is prohibited in areas, where work is performed.
- Wash your hands after use.
- Take off contaminated clothing and protective equipment before entering eating areas.

Precautions against fire and explosion

May intensify fire by releasing oxygen. Protect from heat and direct sunlight.

Keep away from flammable materials.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in tightly closed original container in a cool and dry place.

Protect container from intense sunlight and heat exposure. Store locked up.

Storage compatibility and limitations according to TRGS 510 must be observed.

7.3 Specific end uses

Observe product information sheet.

eCl@ss (8.0): 30-02-12-01

SECTION 8. Exposure controls / Personal protection

8.1 Control parameters

Does not contain substances fixing an occupational exposure limit.

8.2 Exposure controls / Personal protection equipment

Appropriate engineering controls

See section 7. No additional measures necessary.

Personal protection equipment

Respiratory protection: No personal respiratory protective equipment normally required.

Hand protection: Tested gloves with breakthrough time ≥ 8 hours made from NR 0.5 mm, CR 0.5 mm, NBR 0.35 mm, Butyl 0.5 mm, FKM 0.4 mm, PVC 0.5 mm

Eye protection: use safety goggles

Protective clothing: usual work clothes

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 5

General health and safety measures

Respect good personal hygiene. Do not drink, eat or smoke while handling.

Environmental exposure controls

See section 6 and 7.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information

| | |
|--|-----------------------|
| Physical state: | Powder |
| Colour: | white, blue sprinkled |
| Odour: | perfumed |
| pH value (1 %): | 10 - 11 |
| Melting point/Freezing point (°C): | not applicable |
| Boiling temperature (°C): | not applicable |
| Flashpoint (°C): | not applicable |
| Flammability (solid, gas): | not applicable |
| Lower explosion limit: | not applicable |
| Upper explosion limit: | not applicable |
| Vapour pressure (hPa): | not applicable |
| Relative vapor density: | not applicable |
| Density (20 °C): | not determined |
| Bulk density (g/l): | 800 +/- 50 |
| Solubility: | soluble in water |
| Partition coefficient (KOW): | not determined |
| Ignition temperature: | not determined |
| Decomposition temperature: | not determined |
| Kinematic viscosity (mm²/s): | not applicable |
| Particle properties: | not determined |

9.2 Other information

Other safety characteristics

No other physical and chemical data has been recorded.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 6

SECTION 10. Stability and Reactivity

10.1 Reactivity

No particular reactivity expected.

10.2 Chemical stability

Stable under the specified storage conditions.

10.3 Possibility of hazardous reactions

There are expected no hazardous reactions for intended use.

10.4 Conditions to avoid

Avoid heat and direct sunlight. Note the information about handling and storage in section 7.

10.5 Incompatible materials

none suspected

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

The mixture does not meet the criteria for classification.

Skin Corrosion / Irritation

Mixture is classified as irritating to the skin.

Serious Eye Damage / Irritation

Mixture causes serious eye damage.

Sensitisation

Mixture does not contain any sensitising substances.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mixture does not contain any substances which are classified as carcinogenic, mutagenic or toxic for reproduction.

Specific target organ toxicity (single exposure)

May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Mixture does not contain any substances with specific target organ toxicity (repeated exposure).

Aspiration hazard

Not classified. Mixture does not contain any hydrocarbons.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 7

11.2 Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

Other information

No further data available.

SECTION 12. Ecological information

12.1 Toxicity

This mixture does not contain any substances classified as dangerous for the environment.

12.2 Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances which are identified as PBT or vPvB.

12.6 Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

12.7 Other adverse effects

The mixture does not contain any substances which are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Recommendation

Cleaning concentrates should not be disposed of via wastewater. Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations.

Waste codes/waste designations according to EWC

20 01 29 (detergents containing hazardous substances)

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 8

Packaging

Contaminated package

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations. Waste code 15 01 10 (packaging containing residues of or contaminated by hazardous substances)

Cleaned package

Non contaminated and clean packagings can be used for recycling.

SECTION 14. Transport information

14.1 UN number or ID number

not applicable

14.2 UN Proper shipping name:

ADR / RID:

No dangerous good in sense of this transport regulation.

IMDG-Code / ICAO-TI / IATA-DGR:

No dangerous good in sense of this transport regulation.

14.3 Transport hazard class(es)

ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR:

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards

not applicable

14.6 Special precautions for user

See section 6 and 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Subject to the Regulation (EC) No. 648/2004 on detergents.

National regulations

Maternity Protection Act (MuSchG): not applicable.

Major Accidents Ordinance (12. BImSchV): not applicable.

Observe employment restrictions for young people (§ 22 JArbSchG).

Water hazard class: WGK 2 (in accordance with German regulation AwSV)

Continued on next page

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 9

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16. Other information

Indication of changes

Revised sections: 1, 15

Hazard statements referred to in Section 2 and 3 i.a.w. Regulation (EC) No 1272/2008

Ox. Sol. 2, H272 = Oxidising solids, category 2, May intensify fire; oxidiser.

Acute Tox. 4, H302 = Acute toxicity, category 4, Harmful if swallowed.

Skin Irrit. 2, H315 = Skin corrosion / irritation, category 2, Causes skin irritation.

Eye Dam. 1, H318 = Eye damage / irritation, category 1, Causes serious eye damage.

Eye Irrit. 2, H319 = Eye damage / irritation, category 2, Causes serious eye irritation.

STOT SE 3, H335 = Specific target organ toxicity (single exposure), category 3, May cause respiratory irritation.

Key literature references and sources for data

REACH Regulation (EC) No. 1907/2006

CLP Regulation (EC) No. 1272/2008

All data were taken from the safety data sheets of our sub-suppliers, where available. Missing data were taken from the Substance Database GESTIS of the Institute for Occupational Safety and Health of the German statutory accident insurance or from the database of the European Chemicals Agency (ECHA).

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 3010, BEAMAT PROFI 400

Version: 10

Revision date: 04.07.2023

Date of print: 04.07.2023

Page: 10

Legend

ABEK Filter designation
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE mix Acute Toxicity Estimates for mixtures
AVV European waste list regulation
AwSV Ordinance on systems for handling water-polluting substances
Butyl Butyl rubber
CAS (Registration number) Chemical Abstracts Service
CLP Regulation on classification, labelling and packaging of substances and mixtures
CMR Carcinogenicity, mutagenicity, reproductive toxicity
CR Chloroprene rubber
EC50 Median effective concentration
EG (Registration number) European Union
ErC50 Median effective concentration
FIFRA Federal Insecticide, Fungicide and Rodenticide Act
FKM Fluorocarbon rubber
GISCODE Labelling system of the professional associations in the construction industry
IATA-DGR International Air Transport Association - Dangerous Goods Regulations
IBC International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air
IMDG International Maritime Dangerous Goods
LC50 Lethal concentration of a substance leading to the death of 50% of the exposed organisms
LD50 Lethal dose of a substance that leads to death of 50% of the organisms exposed to it
MARPOL International Convention for the Prevention of Pollution from Ships
NBR Acrylonitrile butadiene rubber
NOEC No Observed Effect Concentration
NOEL No Observed Effect Level
NR Natural rubber
OECD Organisation for Economic Co-operation and Development
PBT Persistent, bioaccumulating, toxic
PET Polyethylene terephthalate
PTFE Polytetrafluoroethylene
PVC Polyvinyl chloride
REACH Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
RID Convention concerning International Carriage by Rail
TRGS Technical Rules for Hazardous Substances
UN United Nations
US-EPA United States Environmental Protection Agency
VOC Volatile Organic Compounds
vPvB Very persistent, very bioaccumulating
WGK Water hazard class

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.