

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification / trade name: Art. 44502, HAND-SAFE, 200 ml

REACH registration number: not notifiable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture:

Hand protection foam.

1.3 Details of the supplier of the safety data sheet

Supplier / Manufacturer: HWR-CHEMIE GmbH
Moosfeldstrasse 7
D-82275 Emmering

Telephone: 0049-8141-51030

Telefax: 0049-8141-510355

E-mail: info@hwr-chemie.de

E-mail (competent person): infoSDB@hwr-chemie.de

Information contact: Laboratory

1.4 Emergency phone

Emergency phone Germany: 0049-8141-51030 (only during office hours)

Emergency phone Austria: 0043 1 406 43 43 (poison information centre)

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 3, H229

2.2 Label elements

Regulation (EC) No 1272/2008

Signal word: Warning.

Hazard statements

H229 Pressurized container: may burst if heated.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 2

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Supplementary Hazard Information

Contains 11 % (w/w) flammable components.

2.3 Other hazards

The substances in this mixture do not meet the PBT/vPvB criteria of REACH, annex XIII.

The substances in this mixture do not have any endocrine disrupting properties.

SECTION 3. Composition / information on ingredients

3.1 Substances

This product is a mixture.

3.2 Mixtures

Chemical characterization

Mixture of propellants, fatty compounds, skin protection, emulsifiers and auxiliaries.

Hazardous ingredients

1 - 10 % Propan, EG 200-827-9, CAS 74-98-6, Flam. Gas 1, H220; Press. Gas, H280

1 - 10 % Butan, EG 203-448-7, CAS 106-97-8, Flam. Gas 1, H220; Press. Gas, H280

1 - 10 % iso-Butan, EG 200-857-2, CAS 75-28-5, Flam. Gas 1, H220; Press. Gas, H280

Additional information

Full text of hazard classes and H-phrases: see section 16

SECTION 4. First aid measures

4.1 Description of first aid measures

General informations:	In case of persistent symptoms seek medical advice. Remove contaminated clothing. In case of unconsciousness place patient into stable side position for transportation. Never give fluids or induce vomiting if patient is unconscious or is having convulsions.
In case of inhalation:	Provide affected person with fresh air and seek medical advice depending on the symptoms.
In case of skin contact:	No special measures necessary.
In case of eye contact:	Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
In case of ingestion:	Rinse mouth immediately and then drink plenty of water. Do not induce vomiting. Seek medical advice at once.

4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes may cause reddening, running eyes and smarting pain. Ingestion may result in nausea and stomach pain.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 3

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital functions), no known specific antidote.

SECTION 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet / alcohol resistant foam / CO₂ / dry extinguishing powder

Unsuitable extinguishing media: Full water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated: carbon oxides.

5.3 Advice for fire-fighters

Cool closed containers exposed to fire with water spray jet.

Special protective equipment: Wear full protective suit with self-contained breathing apparatus.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear protective equipment.

6.2 Environmental precautions

Large quantities of spills should be contained by. Do not allow to enter undiluted into surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with an absorbent material and dispose of according to local regulations.

6.4 Reference to other sections

Observe protective measures in sections 8 and disposal considerations in section 13.

SECTION 7. Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Do not expose to temperatures exceeding 50 °C. Do not spray into the eyes.

Precautions against fire and explosion

Do not spray on an open flame or other ignition source.

Keep away from sources of ignition - No smoking.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 4

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in tightly closed original container in a dry, cool and well-ventilated place.
Storage compatibility and limitations according to TRGS 510 must be observed.

7.3 Specific end uses

Observe product information sheet.
eCl@ss (8.0): 40-03-01-01

SECTION 8. Exposure controls / Personal protection

8.1 Control parameters

Workplace exposure limits according to TRGS 900

Substances: Propane
Occupational exposure limit: 1000 ppm, 1800 mg/m³
Top limiting and exceedance factor: 4 (II)
Notes: DFG

Substances: Butane
Occupational exposure limit: 1000 ppm, 2400 mg/m³
Top limiting and exceedance factor: 4 (II)
Notes: DFG

Substances: Isobutane
Occupational exposure limit: 1000 ppm, 2400 mg/m³
Top limiting and exceedance factor: 4 (II)
Notes: DFG

8.2 Exposure controls / Personal protection equipment

Appropriate engineering controls

See section 7. No additional measures necessary.

Personal protection equipment

Respiratory protection:	not applicable
Hand protection:	not applicable
Eye protection:	not applicable
Protective clothing:	not applicable

General health and safety measures

No special measures necessary.

Environmental exposure controls

See section 6 and 7.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 5

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information

Physical state:	aerosol
Colour:	white
Odour:	characteristic
pH value (undiluted):	approx. 8.5
Melting point/Freezing point (°C):	not determined
Boiling temperature (°C):	not applicable
Flashpoint (°C):	not applicable
Flammability (solid, gas):	not applicable
Lower explosion limit:	1.5 Vol.-%
Upper explosion limit:	8.5 Vol.-%
Vapour pressure (hPa):	6600
Relative vapor density:	not determined
Density (20 °C):	approx. 0.86
Solubility:	mixable with water
Partition coefficient (KOW):	not determined
Ignition temperature:	not determined
Decomposition temperature:	not determined
Kinematic viscosity (mm ² /s):	not determined
Particle properties:	not applicable

9.2 Other information

Other safety characteristics

No other physical and chemical data has been recorded.

SECTION 10. Stability and Reactivity

10.1 Reactivity

Aqueous mixture, no particular reactivity expected.

10.2 Chemical stability

Stable under the specified storage conditions.

10.3 Possibility of hazardous reactions

There are expected no hazardous reactions for intended use.

10.4 Conditions to avoid

Avoid heat and direct sunlight. Note the information about handling and storage in section 7.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 6

10.5 Incompatible materials

none suspected

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

The mixture does not meet the criteria for classification.

Skin Corrosion / Irritation

The mixture does not meet the criteria for classification.

Serious Eye Damage / Irritation

The mixture does not meet the criteria for classification.

Sensitisation

The mixture does not meet the criteria for classification.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The mixture does not meet the criteria for classification.

Specific target organ toxicity (single exposure)

The mixture does not meet the criteria for classification.

Specific target organ toxicity (repeated exposure)

The mixture does not meet the criteria for classification.

Aspiration hazard

The mixture does not meet the criteria for classification.

11.2 Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

Other information

No further data available.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 7

SECTION 12. Ecological information

12.1 Toxicity

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances which are identified as PBT or vPvB.

12.6 Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

12.7 Other adverse effects

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Recommendation

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations.

Waste codes/waste designations according to EWC

15 01 10 (Packaging containing residues of or contaminated by hazardous substances)

Packaging

Contaminated package

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations. Waste code 15 01 10 (packaging containing residues of or contaminated by hazardous substances)

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 8

SECTION 14. Transport information

14.1 UN number or ID number

1950

14.2 UN Proper shipping name:

ADR / RID:

Aerosols

IMDG-Code / ICAO-TI / IATA-DGR:

Aerosols, flammable

14.3 Transport hazard class(es)

ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR:

2 (5A)

14.4 Packing group

not applicable

14.5 Environmental hazards

Not classified.

14.6 Special precautions for user

See section 6 and 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Subject to the Regulation (EC) No. 1223/2009 on cosmetic products.

National regulations

Maternity Protection Act (MuSchG): not applicable.

Major Accidents Ordinance (12. BImSchV): not applicable.

Water hazard class: WGK 1 (in accordance with German regulation AwSV)

VOC content according to 31. BImSchV: 11.1 %

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 9

SECTION 16. Other information

Indication of changes

Revised sections: 2

Hazard statements referred to in Section 2 and 3 i.a.w. Regulation (EC) No 1272/2008

Flam. Gas 1, H220 = Flammable gases, category 1, Extremely flammable gas.

Aerosol 3, H229 = Aerosols, category 3, Pressurized container: may burst if heated.

Press. Gas, H280 = Gases under pressure, Contains gas under pressure; may explode if heated.

Key literature references and sources for data

REACH Regulation (EC) No. 1907/2006

CLP Regulation (EC) No. 1272/2008

All data were taken from the safety data sheets of our sub-suppliers, where available. Missing data were taken from the Substance Database GESTIS of the Institute for Occupational Safety and Health of the German statutory accident insurance or from the database of the European Chemicals Agency (ECHA).

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)



Art. 44502, HAND-SAFE, 200 ml

Version: 4

Revision date: 05.07.2023

Date of print: 05.07.2023

Page: 10

Legend

ABEK	Filter designation
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE mix	Acute Toxicity Estimates for mixtures
AVV	European waste list regulation
AwSV	Ordinance on systems for handling water-polluting substances
Butyl	Butyl rubber
CAS	(Registration number) Chemical Abstracts Service
CLP	Regulation on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenicity, mutagenicity, reproductive toxicity
CR	Chloroprene rubber
EC50	Median effective concentration
EG	(Registration number) European Union
ErC50	Median effective concentration
FIFRA	Federal Insecticide, Fungicide and Rodenticide Act
FKM	Fluorocarbon rubber
GISCODE	Labelling system of the professional associations in the construction industry
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	Technical Instructions For The Safe Transport of Dangerous Goods by Air
IMDG	International Maritime Dangerous Goods
LC50	Lethal concentration of a substance leading to the death of 50% of the exposed organisms
LD50	Lethal dose of a substance that leads to death of 50% of the organisms exposed to it
MARPOL	International Convention for the Prevention of Pollution from Ships
NBR	Acrylonitrile butadiene rubber
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
NR	Natural rubber
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, bioaccumulating, toxic
PET	Polyethylene terephthalate
PTFE	Polytetrafluoroethylene
PVC	Polyvinyl chloride
REACH	Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Convention concerning International Carriage by Rail
TRGS	Technical Rules for Hazardous Substances
UN	United Nations
US-EPA	United States Environmental Protection Agency
VOC	Volatile Organic Compounds
vPvB	Very persistent, very bioaccumulating
WGK	Water hazard class

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.