according to Regulation (EC) No 1907/2006 (REACH)

# HEMIE

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 1

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification / trade name: Art. 50304, HLR-SUPER, 400 ml

**REACH registration number:** not notifiable

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture:

Rust dissolver

1.3 Details of the supplier of the safety data sheet

Supplier / Manufacturer: HWR-CHEMIE GmbH

Moosfeldstrasse 7
D-82275 Emmering

 Telephone:
 0049-8141-51030

 Telefax:
 0049-8141-510355

 E-mail:
 info@hwr-chemie.de

E-mail (competent person): infoSDB@hwr-chemie.de

Information contact: Laboratory

1.4 Emergency phone

**Emergency phone Germany:** 0049-8141-51030 (only during office hours) **Emergency phone Austria:** 0043 1 406 43 43 (poison information centre)

### **SECTION 2. Hazards identification**

## 2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Aerosol 1, H222-H229; Skin Irrit. 2, H315; STOT SE 3, H336; Aquatic Chronic 2, H411

2.2 Label elements

Regulation (EC) No 1272/2008

**Hazard pictograms** 







Signal word: Danger.

according to Regulation (EC) No 1907/2006 (REACH)

# HEMIE

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 2

## Hazard components for labeling

Petroleum, hydrodesulfurised

#### **Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P332 + P313 If skin irritation occurs: Get medical advice / attention.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.

P501 Dispose of contents/container at hazardous or special waste collection point.

#### 2.3 Other hazards

The substances in this mixture do not meet the PBT/vPvB criteria of REACH, annex XIII.

The substances in this mixture do not have any endocrine disrupting properties.

# **SECTION 3. Composition / information on ingredients**

## 3.1 Substances

This product is a mixture.

## 3.2 Mixtures

#### Chemical characterization

Mixture of aerosol propellants, petroleum, mineral oil, spindle oil and corrosion protection additive.

## **Hazardous ingredients**

30 - 50 % Petroleum, hydrodesulfurised, EG 265-184-9, CAS 64742-81-0, Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336

10 - 20 % Mineral white oil, EG 232-455-8, CAS 8042-47-5, Asp. Tox. 1, H304

1 - 10 % Propane, EG 200-827-9, CAS 74-98-6, Flam. Gas 1, H220; Flam. Liq. 1, H224; Press. Gas, H280

1 - 10 % Benzosulfonic acids, di-C10-18-alkyl derivates, calcium salts, EG 298-637-4, CAS 93820-57-6, Skin Irrit. 2, H315; Aquatic Chronic 3, H412

0,5 - 1 % Carbon dioxide, EG 204-696-9, CAS 124-38-9, Press. Gas, H280

#### Additional information

Full text of hazard classes and H-phrases: see section 16

according to Regulation (EC) No 1907/2006 (REACH)

# HEMIE

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 3

### **SECTION 4. First aid measures**

## 4.1 Description of first aid measures

**General informations:** In case of persistent symptoms seek medical advice. Remove contaminated

clothing. In case of unconsciousness place patient into stable side position for transportation. Never give fluids or induce vomiting if patient is unconscious

or is having convulsions.

In case of inhalation: Provide affected person with fresh air and seek medical advice depending on the

symptoms.

In case of skin contact: Contaminated, soaked clothing should be immediately removed. Wash skin

thoroughly with soap and water.

In case of eye contact: Immediately wash affected eyes for at least 15 minutes under running water with

eyelids held open, consult an eye specialist.

**In case of ingestion:** Rinse mouth immediately and then drink plenty of water. Do not induce vomiting.

Seek medical advice at once. In case of spontaneous vomiting hold the head of the casualty low with the body in a prone position in order to avoid aspiration.

### 4.2 Most important symptoms and effects, both acute and delayed

Dizziness, headache. Contact with eyes may cause reddening, running eyes and smarting pain. Ingestion may result in nausea and stomach pain. Skin contact may cause irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital functions), no known specific antidote.

# **SECTION 5. Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media: Water spray jet / alcohol resistant foam / CO2 / dry extinguishing powder

Unsuitable extinguishing media: Full water jet.

## 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated: carbon oxides.

## 5.3 Advice for fire-fighters

Cool closed containers exposed to fire with water spray jet.

Special protective equipment: Wear full protective suit with self-contained breathing apparatus.

Collect contaminated fire extinguishing water separately. Do not allow entering drains, surface water or soil.

according to Regulation (EC) No 1907/2006 (REACH)

# HIME

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 4

### **SECTION 6. Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. Wear protection equipment.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3 Methods and material for containment and cleaning up

Absorb with an absorbent material and dispose of according to local regulations.

### 6.4 Reference to other sections

Observe protective measures in sections 8 and disposal considerations in section 13.

## **SECTION 7. Handling and Storage**

## 7.1 Precautions for safe handling

### Advices on safe handling

Do not expose to temperatures exceeding 50 °C. Do not spray into eyes.

Use only in well-ventilated areas or provide local extraction.

Avoid release into the environment.

General hygiene measures:

- Eating, drinking or smoking is prohibited in areas, where work is performed.
- Wash your hands after use.
- Take off contaminated clothing and protective equipment before entering eating areas.

## Precautions against fire and explosion

Flammable vapour/air-mixtures may be formed. Keep away from sources of ignition - No smoking.

## 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool and well-ventilated place. Store locked up. Storage compatibility and limitations according to TRGS 510 must be observed.

### 7.3 Specific end uses

Observe product information sheet. eCl@ss (8.0): 23-06-90-01

according to Regulation (EC) No 1907/2006 (REACH)



# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 5

# **SECTION 8. Exposure controls / Personal protection**

## 8.1 Control parameters

## Workplace exposure limits according to TRGS 900

Substances: Propane

Occupational exposure limit: 1000 ppm, 1800 mg/m<sup>3</sup>

Top limiting and exceedance factor: 4 (II)

Notes: DFG

Substances: Carbon dioxide

Occupational exposure limit: 5000 ppm, 9100 mg/m<sup>3</sup>

Top limiting and exceedance factor: 2 (II)

Notes: DFG, EU

## Community workplace exposure limits

Substances: Carbon dioxide

EU limits (8h): 9 000 mg/m<sup>3</sup>, 5 000 ppm

EU limits (Short-term): -

## 8.2 Exposure controls / Personal protection equipment

## Appropriate engineering controls

See section 7. No additional measures necessary.

# Personal protection equipment

**Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device type A.

**Hand protection:** Tested gloves with breakthrough time >= 8 hours made from NBR (0.4 mm)

**Eye protection:** Safety goggles **Protective clothing:** usual work clothes

# General health and safety measures

Respect good personal hygiene. Do not drink, eat or smoke while handling.

#### **Environmental exposure controls**

See section 6 and 7.

# **SECTION 9. Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

according to Regulation (EC) No 1907/2006 (REACH)

# HEMIE

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 6

#### **General information**

Physical state: aerosol

Colour:

Odour:

pH value (undiluted):

Melting point/Freezing point (°C):

Boiling temperature (°C):

anthracite colored characteristic

not applicable

not determined

not determined

Flashpoint (°C): - 60

Flammability (solid, gas): not applicable
Lower explosion limit: not determined
Upper explosion limit: not determined

Vapour pressure (hPa): 4000

Relative vapor density: not determined

**Density (20 °C):** 0.81

**Solubility:** not mixable with water

Partition coefficient (KOW): not determined Ignition temperature: not determined Decomposition temperature: not determined Kinematic viscosity (mm²/s): not determined Particle properties: not applicable

# 9.2 Other information

#### Other safety characteristics

No other physical and chemical data has been recorded.

# **SECTION 10. Stability and Reactivity**

#### 10.1 Reactivity

Mixture of solvents, no particular reactivity expected.

## 10.2 Chemical stability

Stable under the specified storage conditions.

# 10.3 Possibility of hazardous reactions

There are expected no hazardous reactions for intended use.

# 10.4 Conditions to avoid

Avoid heat, direct sunlight, electrostatic discharges and sparks. Note the information about handling and storage in section 7.

## 10.5 Incompatible materials

Different plastics can be attacked.

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

according to Regulation (EC) No 1907/2006 (REACH)

# HIME

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 7

# **SECTION 11. Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

The mixture does not meet the criteria for classification.

## **Skin Corrosion / Irritation**

Mixture is classified as irritating to the skin.

## Serious Eye Damage / Irritation

Mixture does not contain any substances with eye irritation / damage.

#### Sensitisation

Mixture does not contain any sensitising substances.

## CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Mixture does not contain any substances which are classified as carcinogenic, mutagenic or toxic for reproduction.

## Specific target organ toxicity (single exposure)

May cause drowsiness or dizziness.

## Specific target organ toxicity (repeated exposure)

Mixture does not contain any substances with specific target organ toxicity (repeated exposure).

## **Aspiration hazard**

May be fatal if swallowed and enters airways.

## 11.2 Information on other hazards

## **Endocrine disrupting properties**

This mixture does not contain any substances which are identified as endocrine disrupting.

#### Other information

No further data available.

# **SECTION 12. Ecological information**

## 12.1 Toxicity

No further relevant information available.

## 12.2 Persistence and degradability

No further relevant information available.

## 12.3 Bioaccumulative potential

No further relevant information available.

## 12.4 Mobility in soil

No further relevant information available.

according to Regulation (EC) No 1907/2006 (REACH)

# HIMIE

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 8

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances which are identified as PBT or vPvB.

## 12.6 Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

### 12.7 Other adverse effects

No further relevant information available.

# **SECTION 13. Disposal considerations**

### 13.1 Waste treatment methods

### Recommendation

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations.

## Waste codes/waste designations according to EWC

15 01 10 (Packaging containing residues of or contaminated by hazardous substances)

## **Packaging**

## Contaminated package

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations. Waste code 15 01 10 (packaging containing residues of or contaminated by hazardous substances)

# **SECTION 14. Transport information**

## 14.1 UN number or ID number

1950

# 14.2 UN Proper shipping name:

#### ADR / RID:

Aerosols, flammable

## IMDG-Code / ICAO-TI / IATA-DGR:

Aerosols, flammable

## 14.3 Transport hazard class(es)

# ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR:

2 (5F)

## 14.4 Packing group

not applicable

## 14.5 Environmental hazards

environmentally hazardous

according to Regulation (EC) No 1907/2006 (REACH)

# HIMR

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 9

## 14.6 Special precautions for user

See section 6 and 8.

## 14.7 Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15. Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# **National regulations**

Maternity Protection Act (MuSchG): not applicable. Major Accidents Ordinance (12. BlmSchV): not applicable.

Observe employment restrictions for young people (§ 22 JArbSchG).

Water hazard class: WGK 1 (in accordance with German regulation AwSV)

VOC content according to 31. BlmSchV: 41.9 %

## 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

## **SECTION 16. Other information**

# Indication of changes

Revised sections: 2

### Hazard statements referred to in Section 2 and 3 i.a.w. Regulation (EC) No 1272/2008

Flam. Gas 1, H220 = Flammable gases, category 1, Extremely flammable gas.

Aerosol 1, H222 = Aerosols, category 1, Extremely flammable aerosol.

Flam. Liq 1, H224 = Flammable liquids, category 1, Extremely flammable liquid and vapour.

Aerosol 3, H229 = Aerosols, category 3, Pressurized container: may burst if heated.

Press. Gas, H280 = Gases under pressure, Contains gas under pressure; may explode if heated.

Asp. Tox. 1, H304 = Aspiration hazard, category 1, May be fatal if swallowed and enters airways.

Skin Irrit. 2, H315 = Skin corrosion / irritation, category 2, Causes skin irritation.

STOT SE 3, H336 = Specific target organ toxicity (single exposure), category 3, May cause drowsiness or dizziness.

Aquatic Chronic 2, H411 = Hazardous to the aquatic environment, chronic, category 2, Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3, H412 = Hazardous to the aquatic environment, chronic, category 3, Harmful to aquatic life with long lasting effects.

#### Key literature references and sources for data

REACH Regulation (EC) No. 1907/2006 CLP Regulation (EC) No. 1272/2008

All data were taken from the safety data sheets of our sub-suppliers, where available. Missing data were taken from the Substance Database GESTIS of the Institute for Occupational Safety and Health of the German statutory accident insurance or from the database of the European Chemicals Agency (ECHA).

according to Regulation (EC) No 1907/2006 (REACH)

# HEMIE

# Art. 50304, HLR-SUPER, 400 ml

Version: 3 Revision date: 05.07.2023 Date of print: 05.07.2023 Page: 10

## Legend

ABEK Filter designation

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE mix Acute Toxicity Estimates for mixtures

AVV European waste list regulation

AwSV Ordinance on systems for handling water-polluting substances

Butyl Butyl rubber

CAS (Registration number) Chemical Abstracts Service

CLP Regulation on classification, labelling and packaging of substances and mixtures

CMR Carcinogenicity, mutagenicity, reproductive toxicity

CR Chloroprene rubber

EC50 Median effective concentration

EG (Registration number) European Union

ErC50 Median effective concentration

FIFRA Federal Insecticide, Fungicide and Rodenticide Act

FKM Fluorocarbon rubber

GISCODE Labelling system of the professional associations in the construction industry

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

IBC International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air

IMDG International Maritime Dangerous Goods

LC50 Lethal concentration of a substance leading to the death of 50% of the exposed organisms

LD50 Lethal dose of a substance that leads to death of 50% of the organisms exposed to it

MARPOL International Convention for the Prevention of Pollution from Ships

NBR Acrylonitrile butadiene rubber

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

NR Natural rubber

OECD Organisation for Economic Co-operation and Development

PBT Persistent, bioaccumulating, toxic
PET Polyethylene terephthalate
PTFE Polytetrafluoroethylene

PVC Polyvinyl chloride

REACH Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Convention concerning International Carriage by Rail

TRGS Technical Rules for Hazardous Substances

UN United Nations

**US-EPA United States Environmental Protection Agency** 

VOC Volatile Organic Compounds

vPvB Very persistent, very bioaccumulating

WGK Water hazard class

#### **Further information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.