according to Regulation (EC) No 1907/2006 (REACH)



Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification / trade name: Art. 5110, MULTI-TRENN

REACH registration number: not notifiable

UFI: 3D4H-4QHU-MF0W-J4W6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture:

Separating agent, sliding agent and lubricant, silicone-free

1.3 Details of the supplier of the safety data sheet

Supplier / Manufacturer: HWR-CHEMIE GmbH

Moosfeldstrasse 7 D-82275 Emmering

 Telephone:
 0049-8141-51030

 Telefax:
 0049-8141-510355

 E-mail:
 info@hwr-chemie.de

E-mail (competent person): infoSDB@hwr-chemie.de

Information contact: Laboratory

1.4 Emergency phone

Emergency phone Germany: 0049-8141-51030 (only during office hours) **Emergency phone Austria:** 0043 1 406 43 43 (poison information centre)

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2, H225; Asp. Tox. 1, H304; Eye Irrit. 2, H319; STOT SE 3, H336

2.2 Label elements

Regulation (EC) No 1272/2008

Hazard pictograms







Signal word: Danger.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 2

Hazard components for labeling

2-Propanol; Hydrocarbons, C9-C11, n-alkane, isoalkane, cyclic, < 2% aromatics

Hazard statements

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing mist / vapours / spray.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice / attention.

P304 + P310 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a doctor if you feel unwell.

P301+ P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER / doctor. Do NOT induce vomiting.

P501 Dispose of contents / container at hazardous or special waste collection point.

2.3 Other hazards

The substances in this mixture do not meet the PBT/vPvB criteria of REACH, annex XIII.

The substances in this mixture do not have any endocrine disrupting properties.

SECTION 3. Composition / information on ingredients

3.1 Substances

This product is a mixture.

3.2 Mixtures

Chemical characterization

Mixture of hydrocarbons, alcohols and natural oils..

Hazardous ingredients

30 - 50 % 2-Propanol, EG 200-661-7, CAS 67-63-0, Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336

20 - 30 % Hydrocarbons, C9-C11, n-alkane, isoalkane, cyclic, < 2% aromatics, EG 919-857-5,

Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336

Additional information

Full text of hazard classes and H-phrases: see section 16

according to Regulation (EC) No 1907/2006 (REACH)

HAVR

Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 3

SECTION 4. First aid measures

4.1 Description of first aid measures

General informations: In case of persistent symptoms seek medical advice. Remove contaminated

clothing. In case of unconsciousness place patient into stable side position for transportation. Never give fluids or induce vomiting if patient is unconscious

or is having convulsions.

In case of inhalation: Provide affected person with fresh air and seek medical advice depending on the

symptoms.

In case of skin contact: Contaminated, soaked clothing should be immediately removed. Wash skin

thoroughly with soap and water.

In case of eye contact: Immediately wash affected eyes for at least 15 minutes under running water with

eyelids held open, consult an eye specialist.

In case of ingestion: Rinse mouth immediately and then drink plenty of water. Do not induce vomiting.

Seek medical advice at once. In case of spontaneous vomiting hold the head of the casualty low with the body in a prone position in order to avoid aspiration.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness, headache. Contact with eyes may cause reddening, running eyes and smarting pain. Ingestion may result in nausea and stomach pain. Skin contact may cause irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital functions), no known specific antidote.

SECTION 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet / alcohol resistant foam / CO2 / dry extinguishing powder

Unsuitable extinguishing media: Full water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated: carbon oxides.

5.3 Advice for fire-fighters

Cool closed containers exposed to fire with water spray jet.

Special protective equipment: Wear full protective suit with self-contained breathing apparatus.

Collect contaminated fire extinguishing water separately. Do not allow entering drains, surface water or soil.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 4

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. Wear protection equipment.

6.2 Environmental precautions

Large quantities of spills should be contained by. Do not allow to enter undiluted into surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with an absorbent material and dispose of according to local regulations.

6.4 Reference to other sections

Observe protective measures in sections 8 and disposal considerations in section 13.

SECTION 7. Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Wear protective clothing. Open carefully and keep container closed when not in use.

Use only in well-ventilated areas or provide local extraction.

Avoid release into the environment.

General hygiene measures:

- Eating, drinking or smoking is prohibited in areas, where work is performed.
- Wash your hands after use.
- Take off contaminated clothing and protective equipment before entering eating areas.

Precautions against fire and explosion

Flammable vapour/air-mixtures may be formed. Keep away from sources of ignition - No smoking. Ground/bond container and receiving equipment.

Use only spark-/explosionproof appliances in danger zones.

Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool and well-ventilated place. Store locked up. Storage compatibility and limitations according to TRGS 510 must be observed.

7.3 Specific end uses

Observe product information sheet. eCl@ss (8.0): 30-21-22-90

according to Regulation (EC) No 1907/2006 (REACH)

HIME

Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 5

SECTION 8. Exposure controls / Personal protection

8.1 Control parameters

Workplace exposure limits according to TRGS 900

Substances: Rapsöl

Occupational exposure limit: 5 A mg/m³ Top limiting and exceedance factor: 4 (II)

Notes: DFG, Y

Substances: Propane-2-ol

Occupational exposure limit: 200 ppm, 500 mg/m³

Top limiting and exceedance factor: 2 (II)

Notes: DFG, Y

Substances: Hydrocarbons, C9-C11, n-alkane, isoalkane, cyclic, < 2% aromatics

Occupational exposure limit: 600 mg/m³ (RCP)

Biological limits according to TRGS 903

Substances: Propane-2-ol Parameters: Aceton

Biological limit value: 25 mg/l / 25 mg/l Test material and sampling time: B b / U b

8.2 Exposure controls / Personal protection equipment

Appropriate engineering controls

See section 7. No additional measures necessary.

Personal protection equipment

Respiratory protection: In case of excessive vapours wear a respirator mask filter (DIN EN 141). Not

necessary if room is well-ventilated.

Hand protection: Tested gloves with breakthrough time >= 8 hours

Eye protection: use safety goggles

Protective clothing: solvent-resistant protective clothing

General health and safety measures

Respect good personal hygiene. Do not drink, eat or smoke while handling.

Environmental exposure controls

See section 6 and 7.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 6

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information

Physical state:liquidColour:yellowishOdour:alcoholic

pH value (undiluted): not applicable

Melting point/Freezing point (°C): < -30

Boiling temperature (°C): approx. 48

Flashpoint (°C): not determined

Flammability (solid, gas): not applicable

Lower explosion limit: not determined

Upper explosion limit: not determined

Vapour pressure (hPa): approx. 100

Vapour pressure (hPa):approx. 100Relative vapor density:not determinedDensity (20 °C):approx. 0.83

Solubility: not mixable with water

Partition coefficient (KOW): not determined not determined Decomposition temperature: not determined

Dynamic viscosity (mPas): < 10

Particle properties: not applicable

9.2 Other information

Other safety characteristics

No other physical and chemical data has been recorded.

SECTION 10. Stability and Reactivity

10.1 Reactivity

Mixture of solvents, no particular reactivity expected.

10.2 Chemical stability

Stable under the specified storage conditions.

10.3 Possibility of hazardous reactions

There are expected no hazardous reactions for intended use.

10.4 Conditions to avoid

Avoid heat, direct sunlight, electrostatic discharges and sparks. Note the information about handling and storage in section 7.

according to Regulation (EC) No 1907/2006 (REACH)

HEMIE

Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 7

10.5 Incompatible materials

Different plastics can be attacked.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

The mixture does not meet the criteria for classification.

Skin Corrosion / Irritation

Mixture does not contain any substances with skin irritation / corrosion.

Serious Eye Damage / Irritation

Mixture is classified as irritating to the eyes.

Sensitisation

Mixture does not contain any sensitising substances.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Mixture does not contain any substances which are classified as carcinogenic, mutagenic or toxic for reproduction.

Specific target organ toxicity (single exposure)

May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure)

Mixture does not contain any substances with specific target organ toxicity (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

Other information

No further data available.

according to Regulation (EC) No 1907/2006 (REACH)

HAVR

Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 8

SECTION 12. Ecological information

The available data refer to the substances in the mixture. The mixture as a whole has not been tested.

12.1 Toxicity

This mixture does not contain any substances classified as dangerous for the environment.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances which are identified as PBT or vPvB.

12.6 Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

12.7 Other adverse effects

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Recommendation

Cleaning concentrates should not be disposed of via wastewater. Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations.

Waste codes/waste designations according to EWC

20 01 13 (Solvents)

Packaging

Contaminated package

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations. Waste code 15 01 10 (packaging containing residues of or contaminated by hazardous substances)

Cleaned package

Non contaminated and clean packagings can be used for recycling.

according to Regulation (EC) No 1907/2006 (REACH)

HAVR

Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 9

SECTION 14. Transport information

14.1 UN number or ID number

1993

14.2 UN Proper shipping name:

ADR / RID:

Flammable liquid, n.o.s. (Hydrocarbons, Isopropanol)

IMDG-Code / ICAO-TI / IATA-DGR:

Flammable liquid, n.o.s. (Hydrocarbons, Isopropanol)

14.3 Transport hazard class(es)

ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR:

3

14.4 Packing group

Ш

14.5 Environmental hazards

not applicable

14.6 Special precautions for user

See section 6 and 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Maternity Protection Act (MuSchG): not applicable.

Major Accidents Ordinance (12. BlmSchV): not applicable.

Observe employment restrictions for young people (§ 22 JArbSchG).

Water hazard class: WGK 1 (in accordance with German regulation AwSV)

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

according to Regulation (EC) No 1907/2006 (REACH)



Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 10

SECTION 16. Other information

Indication of changes

Revised sections: 1, 8, 15

Hazard statements referred to in Section 2 and 3 i.a.w. Regulation (EC) No 1272/2008

Flam. Liq 2, H225 = Flammable liquids, category 2, Highly flammable liquid and vapour.

Flam. Liq 3, H226 = Flammable liquids, category 3, Flammable liquid and vapour.

Asp. Tox. 1, H304 = Aspiration hazard, category 1, May be fatal if swallowed and enters airways.

Eye Irrit. 2, H319 = Eye damage / irritation, category 2, Causes serious eye irritation.

STOT SE 3, H336 = Specific target organ toxicity (single exposure), category 3, May cause drowsiness or

dizziness.

Key literature references and sources for data

REACH Regulation (EC) No. 1907/2006 CLP Regulation (EC) No. 1272/2008

All data were taken from the safety data sheets of our sub-suppliers, where available. Missing data were taken from the Substance Database GESTIS of the Institute for Occupational Safety and Health of the German statutory accident insurance or from the database of the European Chemicals Agency (ECHA).

according to Regulation (EC) No 1907/2006 (REACH)



Art. 5110, MULTI-TRENN

Version: 2 Revision date: 06.07.2023 Date of print: 06.07.2023 Page: 11

Legend

ABEK Filter designation

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE mix Acute Toxicity Estimates for mixtures

AVV European waste list regulation

AwSV Ordinance on systems for handling water-polluting substances

Butyl Butyl rubber

CAS (Registration number) Chemical Abstracts Service

CLP Regulation on classification, labelling and packaging of substances and mixtures

CMR Carcinogenicity, mutagenicity, reproductive toxicity

CR Chloroprene rubber

EC50 Median effective concentration

EG (Registration number) European Union

ErC50 Median effective concentration

FIFRA Federal Insecticide, Fungicide and Rodenticide Act

FKM Fluorocarbon rubber

GISCODE Labelling system of the professional associations in the construction industry

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

IBC International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air

IMDG International Maritime Dangerous Goods

LC50 Lethal concentration of a substance leading to the death of 50% of the exposed organisms

LD50 Lethal dose of a substance that leads to death of 50% of the organisms exposed to it

MARPOL International Convention for the Prevention of Pollution from Ships

NBR Acrylonitrile butadiene rubber

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

NR Natural rubber

OECD Organisation for Economic Co-operation and Development

PBT Persistent, bioaccumulating, toxic
PET Polyethylene terephthalate
PTFE Polytetrafluoroethylene
PVC Polyvinyl chloride

REACH Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Convention concerning International Carriage by Rail

TRGS Technical Rules for Hazardous Substances

UN United Nations

US-EPA United States Environmental Protection Agency

VOC Volatile Organic Compounds

vPvB Very persistent, very bioaccumulating WGK Water hazard class

_

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.