according to Regulation (EC) No 1907/2006 (REACH)

# HIME

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 1

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification / trade name: Art. 4220, KORPHOS

**REACH registration number:** not notifiable

**UFI:** 0W80-U57A-KD0V-YGFU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture:

Rust remover

1.3 Details of the supplier of the safety data sheet

Supplier / Manufacturer: HWR-CHEMIE GmbH

Moosfeldstrasse 7 D-82275 Emmering

 Telephone:
 0049-8141-51030

 Telefax:
 0049-8141-510355

 E-mail:
 info@hwr-chemie.de

**E-mail (competent person):** infoSDB@hwr-chemie.de

**Information contact:** Laboratory

1.4 Emergency phone

**Emergency phone Germany:** 0049-8141-51030 (only during office hours) **Emergency phone Austria:** 0043 1 406 43 43 (poison information centre)

# **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Corr. 1B, H314

2.2 Label elements

Regulation (EC) No 1272/2008

**Hazard pictograms** 



Signal word: Danger.

according to Regulation (EC) No 1907/2006 (REACH)

# HIME

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 2

#### Hazard components for labeling

Phosphoric acid

#### **Hazard statements**

H314 Causes severe skin burns and eye damage.

#### **Precautionary statements**

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container at hazardous or special waste collection point.

#### 2.3 Other hazards

The substances in this mixture do not meet the PBT/vPvB criteria of REACH, annex XIII.

The substances in this mixture do not have any endocrine disrupting properties.

## **SECTION 3. Composition / information on ingredients**

#### 3.1 Substances

This product is a mixture.

#### 3.2 Mixtures

#### Chemical characterization

Mixture of surfactants, alcohols, inorganic acid, corrosion inhibitors and auxiliaries in water.

### Hazardous ingredients

- 50 70 % Phosphoric acid, EG 231-633-2, CAS 7664-38-2, Acute Tox. 4, H302; Skin corr. 1B, H314; Met. Corr. 1, H290
- 2.5 10 % 2-Propanol, EG 200-661-7, CAS 67-63-0, Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336
- 2.5 10 % 1-Butanol, EG 200-751-6, CAS 71-36-3, Flam. Liq.3, H226; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335, H336
  - < 0.5 % Alkyldimethylbenzylammoniumchloride, EG 270-325-2, CAS 68424-85-1, Acute Tox. 4, H302; Skin corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410

## **Additional information**

Full text of hazard classes and H-phrases: see section 16

## **SECTION 4. First aid measures**

#### 4.1 Description of first aid measures

**General informations:** In case of persistent symptoms seek medical advice. Remove contaminated

clothing. In case of unconsciousness place patient into stable side position for transportation. Never give fluids or induce vomiting if patient is unconscious

or is having convulsions.

In case of inhalation: Provide affected person with fresh air and seek medical advice depending on the

symptoms.

according to Regulation (EC) No 1907/2006 (REACH)



# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 3

In case of skin contact: Contaminated, soaked clothing should be immediately removed. Wash skin

thoroughly with soap and water. Immediate medical treatment required because

corrosive injuries that are not treated are hard to cure.

In case of eye contact: Immediately wash affected eyes for at least 15 minutes under running water with

eyelids held open, consult an eye specialist.

**In case of ingestion:** Rinse mouth immediately and then drink plenty of water. Do not induce vomiting.

Seek medical advice at once.

**Additional hints:** Self-protection of the first aider: wear protective clothing, gloves and safety

goggles (see Section 8).

#### 4.2 Most important symptoms and effects, both acute and delayed

Contact with eyes may cause reddening, running eyes and smarting pain. Prolonged contact may lead to irreversible damage up to blindness. Ingestion may cause severe pain in the digestive tract. Possible burn of the upper part of gastrointestinal tract. Inhalation may cause cough and shortness of breath. Risk of pulmonary oedema.

# 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital functions), no known specific antidote.

# **SECTION 5. Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media: Water spray jet / foam / CO2 / dry extinguishing powder

Unsuitable extinguishing media: Full water jet.

# 5.2 Special hazards arising from the substance or mixture

Spilled material reacts with certain metals (e.g. lead, aluminium, zinc and magnesium) to form hydrogen gas. In case of fire may be liberated: corrosive vapors.

## 5.3 Advice for fire-fighters

The product itself is not flammable. Co-ordinate fire-fighting measures to the fire surroundings. Special protective equipment: Wear full protective suit with self-contained breathing apparatus.

# **SECTION 6. Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. Wear protection equipment.

#### 6.2 Environmental precautions

Large quantities of spills should be contained by. Do not allow to enter undiluted into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

Absorb with an absorbent material and dispose of according to local regulations. Alkalis may be used for pH neutralization.

# 6.4 Reference to other sections

Observe protective measures in sections 8 and disposal considerations in section 13.

according to Regulation (EC) No 1907/2006 (REACH)

# HIME

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 4

# **SECTION 7. Handling and Storage**

#### 7.1 Precautions for safe handling

## Advices on safe handling

Wear protective clothing. Open carefully and keep container closed when not in use. General hygiene measures:

- Eating, drinking or smoking is prohibited in areas, where work is performed.
- Wash your hands after use.
- Take off contaminated clothing and protective equipment before entering eating areas.

#### Precautions against fire and explosion

Product does not burn itself.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store only in the original container or a corrosion-resistant container. Store locked up. Storage compatibility and limitations according to TRGS 510 must be observed.

#### 7.3 Specific end uses

Observe product information sheet.

eCl@ss (8.0): 30-10-01-90 / GISCODE: GG70

# **SECTION 8. Exposure controls / Personal protection**

#### 8.1 Control parameters

# Workplace exposure limits according to TRGS 900

Substances: Ortho phosphoric acid Occupational exposure limit: 2 mg/m³ E Top limiting and exceedance factor: 2 (I)

Notes: DFG, AGS, Y, EU

Substances: Propane-2-ol

Occupational exposure limit: 200 ppm, 500 mg/m<sup>3</sup>

Top limiting and exceedance factor: 2 (II)

Notes: DFG, Y

Substances: 1-Butanol

Occupational exposure limit: 100 ppm, 310 mg/m<sup>3</sup>

Top limiting and exceedance factor: 1 (I)

Notes: DFĞ, Y

according to Regulation (EC) No 1907/2006 (REACH)

# HEMIE

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 5

#### **Biological limits according to TRGS 903**

Substances: Propane-2-ol Parameters: Aceton

Biological limit value: 25 mg/l / 25 mg/l Test material and sampling time: B b / U b

Substances: 1-Butanol

Parameters: 1-Butanol (nach Hydrolyse)

Biological limit value: 2 mg/g Kreatinin / 10 mg/g Kreatinin

Test material and sampling time: U d / U b

## Community workplace exposure limits

Substances: Ortho phosphoric acid

EU limits (8h): 1 mg/m<sup>3</sup>

EU limits (Short-term): 2 mg/m3

## 8.2 Exposure controls / Personal protection equipment

## Appropriate engineering controls

See section 7. No additional measures necessary.

#### Personal protection equipment

**Respiratory protection:** Respiratory protection necessary at exposure limit overshoot.

**Hand protection:** Tested gloves with breakthrough time >= 8 hours made from NR 0.5 mm, CR 0.5 mm,

NBR 0.35 mm, Butyl 0.5 mm, FKM 0.4 mm, PVC 0.5 mm

Eye protection: use safety goggles
Protective clothing: usual work clothes

## General health and safety measures

Respect good personal hygiene. Do not drink, eat or smoke while handling.

#### **Environmental exposure controls**

See section 6 and 7.

## **SECTION 9. Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

## **General information**

Physical state: liquid Colour: yellow Odour: alcoholic pH value (undiluted): approx. 0.5 pH value (1 %): approx. 1.0 Melting point/Freezing point (°C): approx. -40 **Boiling temperature (°C):** approx. 100 not applicable Flashpoint (°C):

according to Regulation (EC) No 1907/2006 (REACH)

# HIME

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 6

Flammability (solid, gas): not applicable
Lower explosion limit: not determined
Upper explosion limit: not determined
Vapour pressure (hPa): not determined
Relative vapor density: not determined
Density (20 °C): approx. 1.40

**Solubility:** completely mixable with water

Partition coefficient (KOW): not determined not determined Decomposition temperature: not determined

**Dynamic viscosity (mPas):** < 10

Particle properties: not applicable

#### 9.2 Other information

#### Other safety characteristics

No other physical and chemical data has been recorded.

# **SECTION 10. Stability and Reactivity**

## 10.1 Reactivity

Reacts with strong alkalis under intense heat development. May heat up during dilution.

## 10.2 Chemical stability

Stable under the specified storage conditions.

## 10.3 Possibility of hazardous reactions

There are expected no hazardous reactions for intended use.

#### 10.4 Conditions to avoid

No hazardous conditions known. Note the information about handling and storage in section 7.

#### 10.5 Incompatible materials

Avoid contact with aluminum, magnesium, tin, zinc and other base metals (hydrogen gas formation possible).

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

according to Regulation (EC) No 1907/2006 (REACH)

# HIME

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 7

# **SECTION 11. Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Phosphoric acid

LD50 oral = 1250 mg/kg body weight (rat) (literature)

1-Butanol

LD50 oral = 2292 mg/kg body weight (rat) (OECD 401)

The European Union (EU) has classified this substance as 'harmful'.

Alkylbenzyldimethylammoniumchloride

LD50 oral = 795 mg/kg body weight (rat) (OECD 401)

Acute Toxicity Estimate of the mixture:

ATE mix (oral) > 2000 mg/kg body weight

#### Skin Corrosion / Irritation

Mixture is classified as corrosive to the skin.

## Serious Eye Damage / Irritation

Mixture causes serious eye damage.

#### Sensitisation

Mixture does not contain any sensitising substances.

# CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Mixture does not contain any substances which are classified as carcinogenic, mutagenic or toxic for reproduction.

# Specific target organ toxicity (single exposure)

Mixture is not classified as specific target organ toxic (single exposure).

# Specific target organ toxicity (repeated exposure)

Mixture does not contain any substances with specific target organ toxicity (repeated exposure).

# **Aspiration hazard**

Not classified. Mixture does not contain any hydrocarbons.

# 11.2 Information on other hazards

#### **Endocrine disrupting properties**

This mixture does not contain any substances which are identified as endocrine disrupting.

#### Other information

No further data available.

according to Regulation (EC) No 1907/2006 (REACH)

# HIME

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 8

# **SECTION 12. Ecological information**

The available data refer to the substances in the mixture. The mixture as a whole has not been tested.

#### 12.1 Toxicity

Alkyldimethylbenzylammoniumchloride Acute toxicity fishes: LC50 (96 h) = 0.28 mg/L (Literature) Acute toxicity crustacea: EC50 (48 h) = 0.016 mg/L (Literature) Acute toxicity algae:

ErC50 (96 h) = 0.049 mg/L (Literature)

## 12.2 Persistence and degradability

Phosphoric acid

Hydrolysis in water. Methods for determining the biological degradability are not applicable to inorganic substances.

#### 2-Propanol

Readily biodegradable (95%, OECD 301E)

#### 1-Butanol

Readily biodegradable (77%, OECD criteria)

Alkyldimethylbenzylammoniumchloride Readily biodegradable (>60%, OECD 301D)

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

#### 12.3 Bioaccumulative potential

Phosphoric acid

No further relevant information available.

## 2-Propanol

Not expected to bioaccumulate.

#### 1-Butanol

Not expected to bioaccumulate.

Alkyldimethylbenzylammoniumchloride Not expected to bioaccumulate.

## 12.4 Mobility in soil

Phosphoric acid

No further relevant information available.

#### 2-Propanol

Absorption to solid soil phase is not expected. Substance is highly volatile.

#### 1-Butanol

Absorption to solid soil phase is not expected. Substance is highly volatile.

Alkyldimethylbenzylammoniumchloride

No further relevant information available.

according to Regulation (EC) No 1907/2006 (REACH)

# HEMIE

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 9

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances which are identified as PBT or vPvB.

#### 12.6 Endocrine disrupting properties

This mixture does not contain any substances which are identified as endocrine disrupting.

#### 12.7 Other adverse effects

The mixture does not contain any substances which are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## **SECTION 13. Disposal considerations**

#### 13.1 Waste treatment methods

## Recommendation

Cleaning concentrates should not be disposed of via wastewater. Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations.

## Waste codes/waste designations according to EWC

20 01 29 (detergents containing hazardous substances)

## **Packaging**

## Contaminated package

Hazardous waste according to European list of wastes. Dispose of in accordance with local, official regulations. Waste code 15 01 10 (packaging containing residues of or contaminated by hazardous substances)

## Cleaned package

Non contaminated and clean packagings can be used for recycling.

# **SECTION 14. Transport information**

# 14.1 UN number or ID number

1805

#### 14.2 UN Proper shipping name:

#### ADR / RID:

Phosphoric acid, liquid

### IMDG-Code / ICAO-TI / IATA-DGR:

Phosphoric acid, liquid

according to Regulation (EC) No 1907/2006 (REACH)

# HEMIE

# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 10

## 14.3 Transport hazard class(es)

#### ADR / RID / IMDG-Code / ICAO-TI / IATA-DGR:

8

## 14.4 Packing group

Ш

#### 14.5 Environmental hazards

Not classified.

#### 14.6 Special precautions for user

See section 6 and 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15. Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Subject to the Regulation (EC) No. 648/2004 on detergents.

#### **National regulations**

Maternity Protection Act (MuSchG): not applicable.

Major Accidents Ordinance (12. BlmSchV): not applicable.

Observe employment restrictions for young people (§ 22 JArbSchG).

Water hazard class: WGK 1 (in accordance with German regulation AwSV)

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

## **SECTION 16. Other information**

#### Indication of changes

Revised sections: 1, 15

## Hazard statements referred to in Section 2 and 3 i.a.w. Regulation (EC) No 1272/2008

Flam. Liq 2, H225 = Flammable liquids, category 2, Highly flammable liquid and vapour.

Flam. Liq 3, H226 = Flammable liquids, category 3, Flammable liquid and vapour.

Met. Corr. 1, H290 = Corrosive to metals, category 1, May be corrosive to metals.

Acute Tox. 4, H302 = Acute toxicity, category 4, Harmful if swallowed.

Skin Corr. 1A/B/C, H314 = Skin corrosion / irritation, category 1A/B/C, Causes severe skin burns and eye damage.

Skin Irrit. 2, H315 = Skin corrosion / irritation, category 2, Causes skin irritation.

Eye Dam. 1, H318 = Eye damage / irritation, category 1, Causes serious eye damage.

STOT SE 3, H335 = Specific target organ toxicity (single exposure), category 3, May cause respiratory irritation.

STOT SE 3, H336 = Specific target organ toxicity (single exposure), category 3, May cause drowsiness or

Aquatic Acute 1, H400 = Hazardous to the aquatic environment, acute, category 1, Very toxic to aquatic life.

Aquatic Chronic 1, H410 = Hazardous to the aquatic environment, chronic, category 1, Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006 (REACH)



# Art. 4220, KORPHOS

Version: 10 Revision date: 23.01.2024 Date of print: 23.01.2024 Page: 11

#### Key literature references and sources for data

REACH Regulation (EC) No. 1907/2006 CLP Regulation (EC) No. 1272/2008

All data were taken from the safety data sheets of our sub-suppliers, where available. Missing data were taken from the Substance Database GESTIS of the Institute for Occupational Safety and Health of the German statutory accident insurance or from the database of the European Chemicals Agency (ECHA).

#### Legend

ABEK Filter designation

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE mix Acute Toxicity Estimates for mixtures

AVV European waste list regulation

AwSV Ordinance on systems for handling water-polluting substances

Butyl Butyl rubber

CAS (Registration number) Chemical Abstracts Service

CLP Regulation on classification, labelling and packaging of substances and mixtures

CMR Carcinogenicity, mutagenicity, reproductive toxicity

CR Chloroprene rubber

EC50 Median effective concentration

EG (Registration number) European Union

ErC50 Median effective concentration

FIFRA Federal Insecticide, Fungicide and Rodenticide Act

FKM Fluorocarbon rubber

GISCODE Labelling system of the professional associations in the construction industry IATA-DGR International Air Transport Association - Dangerous Goods Regulations

IBC International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air

IMDG International Maritime Dangerous Goods

LC50 Lethal concentration of a substance leading to the death of 50% of the exposed organisms

LD50 Lethal dose of a substance that leads to death of 50% of the organisms exposed to it

MARPOL International Convention for the Prevention of Pollution from Ships

NBR Acrylonitrile butadiene rubber

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

NR Natural rubber

OECD Organisation for Economic Co-operation and Development

PBT Persistent, bioaccumulating, toxic PET Polyethylene terephthalate

PTFE Polytetrafluoroethylene

PVC Polyvinyl chloride

REACH Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Convention concerning International Carriage by Rail

TRGS Technical Rules for Hazardous Substances

UN United Nations

**US-EPA United States Environmental Protection Agency** 

VOC Volatile Organic Compounds

vPvB Very persistent, very bioaccumulating

WGK Water hazard class

#### **Further information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.